CARDIOVASCULAR RESEARCH

EDITOR IN CHIEF **DJHEARSE**

ASSOCIATE EDITORS

M AVKIRAN

G Brooks

D J CHAMBERS

W A COETZEE

M J CURTIS

F J KELLY M J SHATTOCK

CONSULTING EDITORS

C KAWAI

C S APSTEIN

E CARMELIET

T J COLATSKY

P CUMMINS

J M DOWNEY

M L Hess

S IZUMO

M J JANSE

R FERRARI K P GALLAGHER

R BOLLI

A G KLEBER

E G LAKATTA

W J LEDERER

P L McLennan

J H McNeill

H NAKAZAWA

J NARGEOT

G OLIVETTI

R PAOLETTI

L H OPIE

J R PARRATT

H M PIPER

M R ROSEN

R STRASSER

H SUGA

B SWYNGHEDAUW

R T WEBER

A S WECHSLER

N WESTERHOF T J WILLIAMS

Y YAZAKI

EDITOR British Heart Journal EDITOR British Medical Journal TECHNICAL EDITOR O G BROOKE

VOLUME 28, 1994

VOLUME 28 · AUTHOR INDEX

KEY: C = Correspondence: IL = Invited Letter: M = Masterclass: RA = Review Article: V = Viewpoint

ABATE R, 358
ABIETE P, 358
ABIETE P, 358
ABIETE P, 358
ABIETE SANDOR C, 337
ADGES A A J, 894
ABIELIO E A, 286 (IL)
ABIEDIOE G, 1559
ABIET SANDER SAND

ASSIMANCE S. SOID
ASSIMANCE S. SOID
AVERGAND T. 1433
AVERACIOGUE K. SOID
BARGAND T. 1433
BACHER R. J. 119
BALL T. J. 105
BANK. 6.630. 1.258
BANK. 8. J. 6.63
BANK. 1176
BANKLE R. J. 1177
BANKLE R. J. 1177
BANKLE R. J. 1177
BOLLI R. 235
BRIDEN R. J. 1177
BRIDEN R. J. 1177
BOLLI R. 235
BRIDEN R. J. 1177
B

CACCESE P. 358
CALVER A. 1720
CAMERON J S. 788 (RA)
CAMICL P G. 1595 (M)
CAMPBELL K B. 242, 535
CAMPBELL S E. 684

Consider J. M. 1670
Consider J. M. 1670
Consider M. C. 391
Consider M.

CONT. V. R. 1726
CONT. V. R. 1726
CONGNAY R. S. 320
COOK. N. S. 215
COORIER P. J. 485
CORDERS P. J. 487
CORDERS P. J. 487
CORDERS P. J. 487
CORDERS P. J. 670
CORDERS P. J. 67

HANLEY P. J. 485
HASSES P. R. 565
HASSES P. R. 565
HARDING S. E. 851, 1451 (M)
HARDING S. E. 851, 1451 (M)
HARDING S. E. 851, 1451 (M)
HARDING S. G. 994
HASIMISOTO M. 1407
HASIMISOTO M. 1407
HASIMISOTO M. 1476
HASIMISOTO M. 1477
HOLDER M. 1477
HOL

Номи J R, 370

Іспікама Н, 1120
Івамі Т, 963
Інава Т, 325
Інава Т, 325
Інава Т, 325
Ікава Т, 325
Ікава Т, 325
Ікава Т, 325
Ікава Т, 326
Ікава Т, 336
Ікава Т, 33

Jahangir A, 831 Jahanger A. 831 Jahle J. E. (1908) Janse M. J. (16 (RA), 1111, 1547) Jacel W. (1390) Jerora W. (1226) Jerora M. O. 235 Jerora M. O. 235 Jerora S. B. 407 Johnson S. B. 407 Johnson S. B. 407 Johnson C. E. (1353) Johns C. J. H. (1866) Julian D. 598 (V) JUNGLING E. (1292) JUNGLING E. (1292)

KABELL G, 1385
KADSH A, 259
KUJINA F, 1686
KALANER G, 365
KANAMER G, 486
KARMER G, 486
KARMAZYN M, 426

KASAMBRA T. 1288
KASA R. S. 328
KASAMBRA T. 1288
KASAMBRA T. 1288
KASAMBRA T. 1288
KASAMBRA T. 1277
KASAMBRA T. 1277
KASAMBRA T. 1277
KASAMBRA T. 1260
KASAMBRA T. 1360
KASAMBRA T. 1361
KASAMBRA T. 1367
KASAMBRA T. 1361
KASAMBRA T. 1361
KASAMBRA T. 1361
KASAMBRA

PARTICLE R. H. 1686
PARTICLE R. 183 (RA), 783
PARTICLE R. 184 (RA)
PARTICLE R. 185 (RA)
PARTICLE R. 185 (RA)
PARTICLE R. 184 (RA)
PARTICLE R.

TAINS M. 1083
TOHIOR H. 242
TOHION M. 212
TO

Ueno H, 906 Unger T, 146 (RA): correction, 435

URTHALER F, 40 Uydes B S, 500

UKRIALER F. 40

VACCHIAND C A. 1243

VALEAMA J O. 1273

VALLANCE P. 34, 284 (IL). 1720

VALLANCE P. JT. 694 (IL). 1720

VALLANCE P. JT. 694

VAN BUREL L M. B. 610

VAN DE VOORBE J. 1152

VAN GER GESSIN W. J. 1115

VAN GERSEN W. J. 1115

VAN GERSEN D. W. 1014, 1574

VAN WILLER D M. 1014, 1574

VERSEN F. 8 325

VANGEAN D E. 159 (RA)

VEGUA A. 140 (IL)

VERSEN M. W. 847, 1036

VERSEN W. 1152

VERSEN D. 1547

VERSEN D. 1547

VERSEN D. 1547

VERSEN D. 1754

VERSEN M. 221

VERSEN M. 221

VERSEN R. 1236

VINTEN-JOHANSIN J. 270

VIOLARIS A, 1170 VIZI E S, 700 VLASUK G P, 78 VON BISMARCK P, 1513 VUILLEMENOT A, 1226

WAIR. M. 1803
WAIR. M. 1803
WAIRWEGHT C. 431
WALER A. 40
WALER A. 40
WALER A. 40
WALER A. 40
WALER B. 4. 1037
WANG T. 1320
WANG X. 1808
WANG Y. 1277, 1780
WANG Z. 1540
WANG J. 1540
WANG J. 1577, 1780
WANG J. 1540
WANG J. 1540
WANG J. 1670
WESS J. N. 125
WESSER R. 1.629
WESS J. N. 125
WESSER P. L. 1238
WING Y-I. 1679
WESSER R. 621
WESTGN A. 4, 735 (V)
WEYGANDT H. 858

WEYRICH A S. 289 (RA)
WHARTON J. 1490
WHITE E. 1193
WHITE J. 1209
WHENEN W. 1202
WHOERS H. 1635
WH. 1645
WH. 16

YACOUB M H. 100, 1490 YAMAGUCH H. 963 YAMAMOTO K. 957 YAMASARI K. 980 YAMASHITA N. 1083

Yamazari M, 667 Yang B C, 1414, 1586 Yang C, 1726 Yang W, D, 1641 Yang W D, 1641 Yang W D, 1641 Yang W D, 1641 Yang Y, 1642 Yill H, 1822 Yill H, 1822 Yill H, 1822 Yorkiyana M, 129, 1251 Yorkiyana M, 1507 Yoshimera M, 1507

YOU Y-L. 1808

ZAMLER S. 1366

ZANJINGER J. 209

ZERWIS H-G. 215

ZHANG S.-E. 407

ZHAO L. 519

ZHAO L. 519

ZHAO L. 52, 270

ZHOUR S. X. 209

ZHOUR S. X. 209

ZHOUR S. X. 200

ZHOUR S. ZON

ZHOUR S

VOLUME 28 · SUBJECT INDEX

Acadesine, Acadesine extends the window of protection afforded by ischaemic preconditioning, 379

Acetylcholine

Contribution of endothelium derived relaxing factors to acetylcholine induced vasodilatation in the rat kidney, 1373

Responses to histamine and acetylcholine in isolated monkey mesenteric veins versus arteries, 667

Acidosis

Acidosis and arrhythmias in cardiac muscle: review article, 1312

Age related differences in the response to acidosis, hypoxia, and hyperkalaemia in canine cardiac Purkinje fibres, 125

Effects of acidosis and hypoxia on the response of isolated ferret cardiac muscle to inotropic agents, 1209

Action potential

Cellular electrophysiology in cardiac hypertrophy and failure: review article, 933

Effect of lemakalim on action potentials, intracellular calcium, and contraction in guinea pig and human cardiac myocytes, 851

Fosinoprilate prolongs the action potential: reduction of ik and enhancement of the L-type calcium current in guinea pig ventricular myocytes, 201

Ionic basis of action potential prolongation of hypertrophied cardiac myocytes isolated from hypertensive rats of different ages, 1180

Mechanically induced changes in action potential duration and left ventricular segment length in acute regional ischaemia in the in situ porcine heart, 528

Prolongation by captopril of action potential duration in the normal and hypertrophied rat ventricle: direct action or inhibition of the local angiotensin converting enzyme?

Adenosine

Acadesine extends the window of protection afforded by ischaemic preconditioning, 379

Adenosine: a sensitive marker of myocardial ischaemia in man,

Adenosine blockade during reperfusion reverses the infarct limiting effect in preconditioned canine hearts, 1083

ATP gated potassium channels in acute myocardial hibernation and reperfusion, 872

ATP sensitive potassium channels are involved in adenosine A2 receptor mediated coronary vasodilatation in the dog. 906

Cardiovascular effects of a non-xanthine-selective antagonist of the A₁ adenosine receptor in the anaesthetised pig, 621

Changes in interstitial adenosine during hypoxia: relationship to oxygen supply:demand imbalance, and effects of adenosine deaminase, 1320 Effects of adenosine on atrial refractoriness and arrhythmias,

1385

Effects of xanthine amine congener on hypoxic coronary resistance and venous and epicardial adenosine concentrations, 604

Endothelial nucleotide catabolism and adenosine production, 100

Purinergic modulation of adult guinea pig cardiomyocytes in long term cultures and co-cultures with extracardiac or intrinsic cardiac neurones, 673

Responsiveness of in situ canine nodose ganglion afferent neurones to epicardial mechanical or chemical stimuli, 1218

Adenosine A₁ receptor

A₁ receptor mediated myocardial infarct size reduction by endogenous adenosine is exerted primarily during ischaemia, 270

Stimulation of endothelial adenosine A₁ receptors enhances adhesion of neutrophils in the intact guinea pig coronary system, 1366

Adenosine agonists/antagonists, Preconditioning of isolated rabbit cardiomyocytes: induction by metabolic stress and blockade by the adenosine antagonist SPT and calphostin C, a protein kinase C inhibitor, 72

Adenosine nucleotides, Determination of high energy phosphates

and glycogen in cardiac and skeletal muscle biopsies, with special reference to influence of biopsy technique and delayed freezing, 524

Adenosine receptor

Adenosine receptor specificity in preconditioning of isolated rabbit cardiomyocytes: evidence of A3 receptor involvement, 1049

Evidence that the adenosine A3 receptor may mediate the protection afforded by preconditioning in the isolated rabbit heart, 1057

Adenosine triphosphate, Responsiveness of in situ canine nodose ganglion afferent neurones to epicardial mechanical or chemical stimuli, 1218

Adenosine triphosphate sensitive potassium channels

ATP sensitive potassium channel openers are of potential benefit in ischaemic heart disease, 32: invited letters, 135, 286 Blockers of ATP sensitive potassium current are of potential

benefit in ischaemic heart disease, 31: invited letters, 135,

Effect of an ATP sensitive potassium channel opener, levcromakalim, on coronary arterial microvessels in the beating canine heart, 1780

Electrophysiological effects of ATP sensitive potassium channel modulation: implications for arrhythmogenesis: review article, 16

Protective effects of ATP sensitive potassium channel openers in models of myocardial ischaemia: review article, 778

Role of ATP sensitive potassium channel in extracellular potassium accumulation and cardiac arrhythmias during myocardial ischaemia: review article, 762

Adhesion molecules, Role of selectins, a new family of adhesion molecules, in ischaemia-reperfusion injury: review article, 289

Aequorin, Estimates of beat to beat handling of activator calcium using measurements of [Ca2+], in aequorin loaded ferret cardiac muscle, 40

Aging, Role of aging on electrical, mechanical, and coronary modifications induced by ouabain and epinine in isolated rat heart, 358

Aging heart, Morphometry of arterioles and capillaries in hearts of senescent mice, 969

Aldosterone, Aldosterone and cardiac fibrosis, 1863

Almokalant, Induction of rhythm abnormalities in the fetal rat heart. A tentative mechanism for the embryotoxic effect of the class III antiarrhythmic agent almokalant, 337

Alpha1 adrenergic receptors, Coronary artery constriction in rats affects the activation of α_1 adrenergic receptors in cardiac myocytes, 1070

Alpha1 adrenoceptor blockade, Effects of sympathetic stimulation, with and without previous α_1 and β adrenoceptor blockade, on refractoriness dispersion in canine heart, 1787

Alpha tocopherol analogue, Beneficial effects of MDL 74,405, a cardioselective water soluble α tocopherol analogue, on the recovery of function of stunned myocardium in intact dogs, 235

5-Amino-1-beta-D-ribofuranosylimidazole-4-carboxamide riboside, Timely administration of AICA riboside reduces reperfusion injury in rabbits, 1003

21-Aminosteroids, Effects of 21-aminosteroids in neonatal rat cardiac myocyte cell cultures exposed to free radicals, 1500

Amiodarone, Amiodarone protection against myocardial injury and fibrosis induced by isoprenaline is abolished by thyroid hormone, 1008

Anaemic hypoxia, Alterations in the myocardial creatine kinase system during chronic anaemic hypoxia, 86

Anaesthesia

Anaesthetics alter the magnitude of infarct limitation by ischaemic preconditioning, 1574 Effects of anaesthesia and recent surgery on diastolic function,

The use of anaesthesia in experimental research: invited letter.

Analysis of variance, Repeated measurements and multiple comparisons in cardiovascular research, 303

Angiotensin converting enzyme, Cardiac angiotensin converting enzyme and myocardial fibrosis in the rat, 1423

Angiotensin converting enzyme inhibitors

Angiotensin converting enzyme inhibitors and cardiovascular remodelling: review article, 159 Antiarrhythmic effects of ACE inhibitors: a matter of faith or

reality? review article, 173

Cardioprotection by angiotensin converting enzyme inhibitors the experimental evidence: review article, 183

Contrasting effects of an angiotensin converting enzyme inhibitor and a calcium antagonist on calcium transients in isolated rat cardiac myocytes, 1407

Converting enzyme inhibitors in cardiovascular therapy: current status and future potential: review article, 146: correction, 435

Decreased lumen size after balloon injury despite inhibition of neointimal thickening and antivasospastic treatment, 215

Endothelial protection by converting enzyme inhibitors: review article, 166

Endothelium dependent vasomotor responses to endogenous agonists are potentiated following ACE inhibition by a bradykinin dependent mechanism, 209

Fosinoprilate prolongs the action potential: reduction of i_{κ} and enhancement of the L-type calcium current in guinea pig ventricular myocytes, 201

Inhibition of ACE/kininase-II, acute myocardial infarction, and survival: review article, 190

Inhibition of ACE/kininase-II after myocardial infarction - addendum: viewpoint, 199

Prolongation by captopril of action potential duration in the normal and hypertrophied rat ventricle: direct action or inhibition of the local angiotensin converting enzyme? 221

Angiotensin II

Angiotensin II associated cardiac myocyte necrosis: role of adrenal catecholamines, 684

Effect of angiotensin II on noradrenaline release in the human forearm, 663

Angiotensin II receptor

Alterations in angiotensin II receptor mediated signal transduction shortly after coronary artery constriction in the rat, 1564

Angiotensin II receptor binding following myocardial infarction in the rat, 1623

Animal experimentation

Animal experiments are useful and necessary in understanding cardiovascular disease: cardiovascular controversies,

Animal research will not provide new therapies for cardiovascular disease: cardiovascular controversies, 1103

Commentaries on this month's Cardiovascular Controversy: the merits and demerits of animal experimentation, 1105-1118

The role of animal experimentation in cardiovascular therapeutic

discovery: editorial, 1102 Anoxia, Neutrophil mediated damage to isolated myocytes after anoxia and reoxygenation, 565

Antiarrhythmias

Antiarrhythmic effects of ACE inhibitors: a matter of faith or

reality? review article, 173

I_{K1} blockade is a potentially useful antiarrhythmic mechanism: controversy, 421: commentary, 720

I_{K1} blockade is unlikely to be a useful antiarrhythmic mechanism:

controversy, 420: commentary, 720

Antiarrhythmic agents, Induction of rhythm abnormalities in the fetal rat heart. A tentative mechanism for the embryotoxic effect of the class III antiarrhythmic agent almokalant, 337

Antiatherogenesis, Morphological evidence for the antiatherogenic effect of scoparone in hyperlipidaemic diabetic rabbits, 1679

Aorta

Increase in rat aortic endothelial free calcium mediated by metabolically sensitive calcium release from endoplasmic reticulum, 1433

Mitogens for adult rat aortic vascular smooth muscle cells in serum-free primary culture, 1238

Suramin inhibits intimal thickening following intima injury in the rabbit aorta in vivo, 1166
Aortic ring, Enhancement of endothelium dependent relaxation in

the rat aortic ring by selenium supplement, 345

Aortocaval shunt, Captopril treatment does not restore either the renal or the ANF release response during volume expansion in moderate to severe high output heart failure, 1533

Aprikalim, Comparison of effects of aprikalim and of hypoxic and ischaemic preconditioning on extracellular potassium accumulation, metabolism, and functional recovery of the globally ischaemic rat heart, 864

Arrhythmias

Acidosis and arrhythmias in cardiac muscle: review article, 1312 Effect of potassium on the action of the KATP modulators cromakalim, pinacidil, or glibenclamide on arrhythmias in isolated perfused rat heart subjected to regional ischaemia, 881

Effects of adenosine on atrial refractoriness and arrhythmias, 1385

Free radicals and reperfusion arrhythmias: invited commentaries. 424

Heterogeneity in extracellular potassium concentration during early myocardial ischaemia and reperfusion: implications for arrhythmogenesis: review article, 770 Induction of rhythm abnormalities in the fetal rat heart. A

tentative mechanism for the embryotoxic effect of the class III antiarrhythmic agent almokalant, 337

Potassium channel openers are likely to be proarrhythmic in the diseased human heart: cardiovascular controversies, 923

Potassium channel openers are unlikely to be proarrhythmic in the diseased human heart: cardiovascular controversies,

Prevention of some hypothermia induced electromechanical changes by calcium channel blockade, 55

Proarrhythmic potential of the potassium channel openers: commentaries, 926

Rapid and slow components of delayed rectifier current in human atrial myocytes, 1540

Reperfusion induced arrhythmias are caused by generation of free radicals, 422

Reperfusion induced arrhythmias are not caused by generation of free radicals, 423

Role of ATP sensitive potassium channel in extracellular potassium accumulation and cardiac arrhythmias during myocardial ischaemia: review article, 762

Arrhythmogenesis

Effects of contraction-excitation feedback on electrophysiology and arrhythmogenesis in rabbits with experimental left ventricular hypertrophy, 1390 Electrophysiological effects of ATP sensitive potassium channel

modulation: implications for arrhythmogenesis: review article, 16

Role of junctional zone cells between Purkinje fibres and ventricular muscle in arrhythmogenesis, 127

Arrhythmogenic effects, Myocardial ischaemia induces platelet activation with adverse electrophysiological and arrhythmogenic effects, 1662

Arterial diameter, Influence of arterial diameter on vasomotor responses in the porcine coronary vasculature, 695

Arterial distensibility, Evaluation of reproducibility of a vessel wall movement detector system for assessment of large artery properties, 610

Arterioles, Morphometry of arterioles and capillaries in hearts of senescent mice, 969

Atherosclerosis

Blood cholesterol is causally related to atherosclerosis: cardiovascular controversies, 574, 576

Blood cholesterol is *not* causally related to atherosclerosis: cardiovascular controversies, 575, 576 Megakaryocyte DNA content is increased in patients with

coronary artery atherosclerosis, 1348 Stimulation of migration of human aortic smooth muscle cells by

vitronectin: implications for atherosclerosis, 1815 Athletic training, Heart rate and athletic training: invited letter,

284

Atria, Depressed transient outward and calcium currents in dilated human atria, 548

Atrial fibrillation, The peripheral microcirculation in atrial fibrillation: preservation of capillary pressure and filtration coefficient, 1555

Atrial natriuretic factor

Captopril treatment does not restore either the renal or the ANF release response during volume expansion in moderate to severe high output heart failure, 1533 Reversal of pulmonary vascular remodelling following hypoxic exposure: no effect of infusion of atrial natriuretic factor and neutral endopeptidase inhibitor, 519

Selective changes in natriuretic peptide and early response gene expression in isolated rat atria following stimulation by stretch or endothelin-1, 1519

Atrial refractoriness, Effects of adenosine on atrial refractoriness and arrhythmias, 1385

Atrial secretory binding protein, Identification of a calcium depend-

ent atrial secretory binding protein as calmodulin, 705
Attachment procedures, Attachment procedures for mechanical manipulation of isolated cardiac myocytes: a challenge,

Automaticity, Triggered activity and automaticity in ventricular trabeculae of failing human and rabbit hearts, 1547 Autonomic control, Effects of exercise on the autonomic control of

the heart: training or overtraining? correspondence, 141 Autonomic nervous system, Alteration of autonomic influence on left ventricular contractility by epicardial superfusion with hexamethonium and procaine, 1042

Balloon injury, Decreased lumen size after balloon injury despite inhibition of neointimal thickening and antivasospastic treatment, 215

Baroreceptor stimulation, Reduced pain during baroreceptor stimulation in patients with symptomatic and silent myocardial ischaemia, 515

Baroreflex sensitivity, Recovery of attenuated baroreflex sensitivity in conscious dogs after reversal of pacing induced heart failure, 384

Beat contraction, Previous beat contraction history alters mechani-

cal restitution in the isolated left ventricle, 5.35Beta adrenergic stimulation, Transient β adrenergic stimulation can precondition the rat heart against postischaemic contractile dysfunction, 1726: *invited letter*, 1872

Beta adrenergic system, Cellular and molecular alterations in the $\boldsymbol{\beta}$ adrenergic system with cardiomyopathy induced by tachycardia, 1243

Beta adrenoceptor

Mechanisms of B adrenoceptor desensitisation in the failing human heart: masterclass, 1451

Minimal modification of canine ventricular myocyte cell surface β adrenoceptors despite desensitisation of ventricular function during exogenous B adrenoceptor challenge, 680

Beta adrenoceptor blockade, Effects of sympathetic stimulation, with and without previous α_1 and β adrenoceptor blockade, on refractoriness dispersion in canine heart, 1787

adrenoceptor blocker, Carvedilol, a new vasodilating B adrenoceptor blocker antihypertensive drug, protects endothelial cells from damage initiated by xanthine-xanthine oxidase and neutrophils, 400

receptor agonist stimulation, Positive inotropism and myocardial energetics: influence of β receptor agonist stimulation, phosphodiesterase inhibition, and ouabain, 994
Beta1 adrenoceptor, β₁ Adrenoceptor mediated decrease in pHi in

quiescent ventricular myocardium, 112
Big ET-1, Big ET-1 infusion in man causes renal ET-1 release, renal and splanchnic vasoconstriction, and increased mean arterial blood pressure, 1559

Bimakalim, Effect of bimakalim (EMD 52692), an opener of ATP sensitive potassium channels, on infarct size, coronary blood flow, regional wall function, and oxygen consumption in swine, 858

Biopsy technique, Determination of high energy phosphates and glycogen in cardiac and skeletal muscle biopsies, with special reference to influence of biopsy technique and delayed freezing, 524

Blood flow, Chemical modulation of in situ intrinsic cardiac neurones influences myocardial blood flow in the anaesthetised dog, 1403

Blood flow measurement, Developments in non-radioactive microsphere techniques for blood flow measurement: viewpoint, 1467

Blood flow patterns, Influence of heart rate and vasoactive drugs on blood flow patterns at the canine ilio-femoral bifurcation, 1686

Book reviews

Andries E, Brugada P, Stroobandt R, editors. How to face "The faces of cardiac pacing", 1876

Balkwill FR, editor. Cytokines: a practical approach, 1122 Baskin SI, editor. Principles of cardiac toxicology, 578

Bing R. Cardiology. The evolution of the science and the art, 1594

Carruthers P. The animals issue - moral theory in practice,

Catapano AL, Bernini F, Corsini A, editors. Atherosclerosis reviews, volume 24: High density lipoproteins - patho-physiology and clinical relevance, 1735

Cheitlin MD, Sokolow M, McIlroy MB. Clinical cardiology (6th edn), 1993, 1299

Curtis MJ, editor (series editor Page CP). Immunopharmacology of the heart (The Handbook of Immunopharmacology), 1993, 1450

Eisenberg RL. Chest and cardiac imaging. 1122 Escande D, Standen N, editors. K* channels in cardiovascular medicine: from basic science to clinical practice, 930

Goris M, Brettille J. Nuclear cardiology, 578

Hainsworth R, Mark AL, editors. Cardiovascular reflex control in health and disease, 1736 Krasbery RA, Segrest JF, editors. Plasma lipoproteins and

coronary artery disease, 143

Lee JA, Allen DG, editors. Modulation of cardiac calcium

sensitivity: a new approach to increasing the strength of the heart, 723

Lock S, Wells F. editors. Fraud and misconduct in medical research, 931

Milligan G, editor. Signal transduction - a practical approach,

Nishizuka Y, Endo M, Tanaka C, editors. The biology and

medicine of signal transduction, 579
Ostadal B, Dhalla NS, editors. Heart function in health and disease, 287

Picano E. Stress echocardiography, 143

Putney JW, editor. Inositol phosphates and calcium signalling, 931

Rezakovic DE, Alpert JS, editors. Nitrate therapy and nitrate tolerance. Current concepts and controversies, 1594

Rubanyi GM, editor. Endothelin, 435
Schwartz RS, editor. Coronary restenosis, 288
Weetman DF, Wood D, editors. Risk factors for cardiovascular disease in non-smokers, 1993, 1299

Willner A, editor. Cerebral damage before and after cardiac surgery, 1876

Zilla PP, editor. International Society for Applied Cardiovascular Biology, vol 2: Applied cardiovascular biology 1990-91,

BQ-123, Intravenous administration of the endothelin-1 antagonist BQ-123 does not ameliorate myocardial ischaemic injury following acute coronary artery occlusion in the dog, 1672

Bradycardia, Long term bradycardia by electrical pacing: a new method for studying heart rate reduction, 1774 Bradykinin

Antiarrhythmic effects of ACE inhibitors: a matter of faith or reality? review article, 173 Cardioprotection by angiotensin converting enzyme inhibitors -

the experimental evidence: review article, 183
Chemical modulation of in situ intrinsic cardiac neurones

influences myocardial blood flow in the anaesthetised dog,

Endothelium dependent vasomotor responses to endogenous agonists are potentiated following ACE inhibition by a bradykinin dependent mechanism, 209

Prolongation by captopril of action potential duration in the normal and hypertrophied rat ventricle: direct action or inhibition of the local angiotensin converting enzyme?,

Calcitonin gene related peptide, Cyclo-oxygenase products released by low pH have capsaicin-like actions on sensory nerves in the isolated guinea pig heart, 365

Calcium

A phospholipase A2 inhibitor (Ro 31-4493) prevents protein loss associated with the calcium paradox in isolated guinea pig hearts without effect on contracture, calcium overload, or the currents through L-type calcium channels, 650

Contrasting effects of an angiotensin converting enzyme inhibitor and a calcium antagonist on calcium transients in isolated rat cardiac myocytes, 1407

Effect of lemakalim on action potentials, intracellular calcium,

and contraction in guinea pig and human cardiac myo-

Estimates of beat to beat handling of activator calcium using measurements of [Ca2+], in aequorin loaded ferret cardiac muscle, 40

Fosinoprilate prolongs the action potential: reduction of i_K and enhancement of the L-type calcium current in guinea pig ventricular myocytes, 201

Identification of a calcium dependent atrial secretory binding

protein as calmodulin, 705

Increase in rat aortic endothelial free calcium mediated by metabolically sensitive calcium release from endoplasmic reticulum, 1433

Ionic basis of ischaemic cardiac injury: insights from cellular studies:masterclass, 581

Mechanical and electrophysiological effects of protamine on isolated ventricular myocardium: evidence for calcium overload, 505

Release of calcium from guinea pig cardiac sarcoplasmic reticulum induced by sodium-calcium exchange, 370

Sydney Ringer viewed in a new light: viewpoint, 1765 Temperature modulates calcium homeostasis and ventricular arrhythmias in myocardial preparations, 391

Calcium activated chloride conductance. Electrodiffusive move-ments of chloride ion in sodium-free solution: a possible calcium activated chloride conductance in cultured heart cells, 1629

Calcium activated force, Effect of altered bathing pH on calcium activated force in α toxin permeabilised rat portal vein and human umbilical artery, $1378\,$

Calcium antagonist

Contrasting effects of an angiotensin converting enzyme inhibitor and a calcium antagonist on calcium transients in isolated rat cardiac myocytes, 1407

The novel calcium antagonist Ro 40-5967 limits myocardial

infarct size in the dog, 1526 Calcium channel blockade, Prevention of some hypothermia induced electromechanical changes by calcium channel blockade, 55

Calcium channel blocker, Effect of isradipine on the formation and regression of fatty streaks in cholesterol fed rabbits, 1089

Calcium current, Depressed transient outward and calcium currents in dilated human atria, 548

Calcium ion, Streptomycin reverses a large stretch induced increase in [Ca2+], in isolated guinea pig ventricular myocytes, 1193 Calmodulin, Identification of a calcium dependent atrial secretory

binding protein as calmodulin, 705 ostin C. Preconditioning of isolated rabbit cardiomyocytes: induction by metabolic stress and blockade by the adenosine antagonist SPT and calphostin C, a protein kinase C inhibitor, 72

cAMP

cAMP concentrations, cAMP dependent protein kinase activity, and phospholamban in non-failing and failing myocardium, 1713

Synergistic action of vasodilators that increase cGMP and cAMP in the hamster cremaster microcirculation, 1513

Capillaries, Morphometry of arterioles and capillaries in hearts of senescent mice, 969

Capillary pressure and filtration coefficient, The peripheral microcirculation in atrial fibrillation: preservation of capillary pressure and filtration coefficient, 1555

Capsaicin, Cyclo-oxygenase products released by low pH have capsaicin-like actions on sensory nerves in the isolated guinea pig heart, 365

Captopril

Captopril treatment does not restore either the renal or the ANF release response during volume expansion in moderate to severe high output heart failure, 1533

Prolongation by captopril of action potential duration in the normal and hypertrophied rat ventricle: direct action or inhibition of the local angiotensin converting enzyme? 221

Cardiac failure, Cellular electrophysiology in cardiac hypertrophy and failure: review article, 933

Cardiac hypertrophy

Cellular electrophysiology in cardiac hypertrophy and failure: review article, 933

Ischaemic preconditioning protects hypertrophied myocardium,

Transforming growth factor β₁ and extracellular matrix gene expression in isoprenaline induced cardiac hypertrophy: effects of inhibition of the renin-angiotensin system, 1835 Cardiac muscle

Acidosis and arrhythmias in cardiac muscle: review article, 1312

Determination of high energy phosphates and glycogen in cardiac and skeletal muscle biopsies, with special reference to influence of biopsy technique and delayed freezing, 524 Sydney Ringer viewed in a new light: viewpoint, 1765

Cardiac neurones

Purinergic modulation of adult guinea pig cardiomyocytes in long term cultures and co-cultures with extracardiac or intrinsic cardiac neurones, 673

Ventricular arrhythmias induced by chemically modified intrinsic cardiac neurones, 636

Cardiac ventricular cells, Phentolamine blocks ATP sensitive potassium channels in cardiac ventricular cells, 847

Cardiogenic shock, Cardiogenic shock induced by cocaine in swine with normal coronary arteries, 105

Cardiomyocytes

Preconditioning of isolated rabbit cardiomyocytes: effects of glycolytic blockade, phorbol esters, and ischaemia, 1700 Preconditioning of isolated rabbit cardiomyocytes: induction by

metabolic stress and blockade by the adenosine antagonist SPT and calphostin C, a protein kinase C inhibitor, 72

Purinergic modulation of adult guinea pig cardiomyocytes in long term cultures and co-cultures with extracardiac or intrinsic cardiac neurones, 673

Cardiomyopathy

Cardiomyopathy and abnormal mitochondrial function: viewpoint, 456

Cellular and molecular alterations in the β adrenergic system with cardiomyopathy induced by tachycardia, 1243

Cardioplegia, Effect of hyperosmotic perfusion on rate of oxygen consumption of isolated guinea pig and rat hearts during cardioplegia, 485

Cardioprotection

A₁ receptor mediated myocardial infarct size reduction by endogenous adenosine is exerted primarily during ischaemia, 270

Cardioprotection by angiotensin converting enzyme inhibitors the experimental evidence: review article, 183

Cardiovascular disease

Animal experiments are useful and necessary in understanding cardiovascular disease: cardiovascular controversies, 1104

Animal research will not provide new therapies for cardiovascular disease: cardiovascular controversies, 1103

Commentaries on this month's Cardiovascular Controversy: the merits and demerits of animal experimentation, 1105-1118

Nitric oxide and cardiovascular disease: invited commentary, 432

The role of animal experimentation in cardiovascular therapeutic discovery: editorial, 1102

Cardiovascular effects, Effect of bimakalim (EMD 52692), an opener of ATP sensitive potassium channels, on infarct size, coronary blood flow, regional wall function, and oxygen consumption in swine, 858

Cardiovascular remodelling, Angiotensin converting enzyme inhibitors and cardiovascular remodelling: review article, 159

Cardiovascular therapy

Converting enzyme inhibitors in cardiovascular therapy: current status and future potential: review article, 146ff: correction, 435

Nitric oxide biology: implications for cardiovascular therapeutics, 25

Carvedilol, Carvedilol, a new vasodilating β adrenoceptor blocker antihypertensive drug, protects endothelial cells from damage initiated by xanthine-xanthine oxidase and neutrophils, 400

Catalase, Increased endogenous catalase activity caused by heat stress does not protect the isolated rat heart against exogenous hydrogen peroxide, 1096

Catecholamines, Angiotensin II associated cardiac myocyte necrosis: role of adrenal catecholamines, 684

Cell stretching, Streptomycin reverses a large stretch induced increase in $[Ca^{2+}]_i$ in isolated guinea pig ventricular myocytes, 1193

Cellular electrophysiology, Cellular electrophysiology in cardiac hypertrophy and failure: review article, 933

cGMP, Synergistic action of vasodilators that increase cGMP and cAMP in the hamster cremaster microcirculation, 1513

Chemical modulation, Chemical modulation of in situ intrinsic cardiac neurones influences myocardial blood flow in the anaesthetised dog. 1403 Chloride conductance, Electrodiffusive movements of chloride ion

in sodium-free solution: a possible calcium activated chloride conductance in cultured heart cells, 1629

Cholesterol

Blood cholesterol is causally related to atherosclerosis, 574, 576

Blood cholesterol is not causally related to atherosclerosis, 575, 576

Vitamin E restores endothelium dependent vasodilatation in cholesterol fed rabbits: in vivo measurements by photo-plethysmography, 1397 Cholinergic neurogenic vasodilatation, Cholinergic neurogenic

vasodilatation is mediated by nitric oxide in the dog hindlimb, 542

Cocaine, Cardiogenic shock induced by cocaine in swine with normal coronary arteries, 105

Collagen

Aldosterone and cardiac fibrosis, 1863

Collagen and fibronectin expression in cardiac fibroblasts from hypertensive rats, 1342

Increased collagen synthesis and decreased collagen degradation in right ventricular hypertrophy induced by pressure overload, 1581

Colour M mode Doppler, Filling of a model left ventricle studied by colour M mode Doppler, 1821

Comparisons, Repeated measurements and multiple comparisons in cardiovascular research, 303

Complement, The complement system in myocardial ischaemia/

reperfusion injury: *masterclass*, 437
Conductance catheter, Conductance catheter measurements of left ventricular volume in the intact dog: parallel conductance is independent of left ventricular size, 252

Conduction, Hypertrophy causes delayed conduction in human and guinea pig myocardium: accentuation during ischaemic perfusion, 47: correspondence, 722

Conduction block, Identification of conduction block in cardiac muscle: in vitro observations in canine epicardium, 259

Congestive heart failure, Orthotopic cardiac transplantation reverses abnormal reflex regulation of the microvasculature in the lower leg, 1707

Conjunctive therapy, Maintenance of canine coronary artery patency following thrombolysis with front loaded plus low dose maintenance conjunctive therapy. A comparison of factor Xa versus thrombin inhibition, 78

Contractile performance, Enzyme release into the interstitial space of the isolated rat heart induced by changes in contractile

performance, 1292 Contractile process, Attachment procedures for mechanical manipulation of isolated cardiac myocytes: a challenge,

Contractility, Left ventricular remodelling and disparate changes in contractility and relaxation during the development of and recovery from experimental heart failure, 66

Contraction, Effect of duration of depolarisation of contraction of normal and hypertrophied feline ventricular myocytes, 1482

Contraction-excitation feedback, Effects of contraction-excitation feedback on electrophysiology and arrhythmogenesis in rabbits with experimental left ventricular hypertrophy, 1390 Contractions, Non-neurogenic contractions in isolated coronary

arteries by brief electrical pulses, 1843 Coronary angiogenesis, Upregulation of vascular endothelial growth factor expression induced by myocardial ischaemia: implications for coronary angiogenesis, 1176 Coronary arterial conductance, Long term increases in coronary

arterial conductance during five day infusion of low dose nicorandil, 912

Coronary artery(ies) A glibenclamide sensitive potassium conductance in terminal arterioles isolated from guinea pig heart, 823 A new animal model of controlled coronary artery occlusion in

conscious rabbits, 61 Alterations in angiotensin II receptor mediated signal transduction shortly after coronary artery constriction in the rat, 1564

Changes in gene expression following short coronary occlusions studied in porcine hearts with run-on assays, 1062

Coronary artery constriction in rats affects the activation of α_1 adrenergic receptors in cardiac myocytes, 1070

KATP channels and basal coronary vascular tone: review article,

Myocardial neutrophil sequestration and activation related to the reperfusion of human heart during coronary artery surgery, 1226

Neutrophil elastase inhibitor ICI 200,880 protects against attenuation of coronary flow reserve and myocardial dysfunction following temporary coronary artery occlusion in the dog, 947

Release of platelet derived growth factor in serum-free organ culture of human coronary artery, 1170

The sensitivity of coronary vascular tone to glibenclamide: a study on the isolated perfused guinea pig heart, 888 Coronary autoregulation, Attenuation of coronary autoregulation in

the isolated rabbit heart by endothelium derived nitric oxide, 414

Coronary blood flow, Effect of inhibition of nitric oxide formation on coronary blood flow during exercise in the dog, 119

Coronary bypass graft, Autologous neutrophil derived supernatants inhibit endothelium dependent relaxation in human coronary bypass graft, 1353

Coronary circulation, Role of positron emission tomography in the investigation of human coronary circulatory function: masterclass, 1595

Coronary flow reserve, Neutrophil elastase inhibitor ICI 200,880 protects against attenuation of coronary flow reserve and myocardial dysfunction following temporary coronary artery occlusion in the dog, 947

Coronary vasoconstriction

Enhanced coronary vasoconstriction in the Syrian myopathic hamster supports the microvascular spasm hypothesis, 320

Inhibitory effects of nicorandil on sympathetic coronary vasoconstriction, 917

Coronary vasodilatation, ATP sensitive potassium channels are involved in adenosine A2 receptor mediated coronary vasodilatation in the dog, 906

Correction, 1736

Creatine kinase

Alterations in the myocardial creatine kinase system during chronic anaemic hypoxia, 86 Enzyme release into the interstitial space of the isolated rat heart

induced by changes in contractile performance, 1292 Improved quantification with validation of multiple mRNA species by polymerase chain reaction: application to

human myocardial creatine kinase M and B, 464 Cremaster microcirculation, Synergistic action of vasodilators that increase cGMP and cAMP in the hamster cremaster microcirculation, 1513

Cromakalim

A glibenclamide sensitive potassium conductance in terminal arterioles isolated from guinea pig heart, 823

Dilating effect of perivascularly applied potassium channel openers cromakalim and pinacidil in rat and cat pial arteries in situ, 1803

Do potassium channel openers compete with ATP to activate ATP sensitive potassium channels? 754

Effect of glibenclamide, forskolin, and isoprenaline on the parallel activation of K_{ATP} and reduction of I_K by cromakalim in cardiac myocytes, 818

Effect of potassium on the action of the K_{ATP} modulators

cromakalim, pinacidil, or glibenclamide on arrhythmias in isolated perfused rat heart subjected to regional ischaemia.

Cyclo-oxygenase products, Cyclo-oxygenase products released by low pH have capsaicin-like actions on sensory nerves in the isolated guinea pig heart, 365

Cyclosporin, Functional analysis of vascular dysfunction in cyclosporin treated rats, 1152 Cytotoxic T lymphocytes

Effects of purified perforin and granzyme A from cytotoxic T lymphocytes on guinea pig ventricular myocytes, 643 Immune effector mechanisms in heart transplant rejection:

masterclass, 1748

Delapril-HCl. Contrasting effects of an angiotensin converting enzyme inhibitor and a calcium antagonist on calcium transients in isolated rat cardiac myocytes, 1407

Delayed rectifier current, Rapid and slow components of delayed rectifier current in human atrial myocytes, 1540

Depressed transient outward current, Depressed transient outward and calcium currents in dilated human atria, 548

Desensitisation, Mechanisms of β adrenoceptor desensitisation in the failing human heart: masterclass, 1451

Diaspirin crosslinked haemoglobin, Effects of diaspirin crosslinked haemoglobin during coronary angioplasty in the swine,

Diastolic flow pattern, Filling of a model left ventricle studied by colour M mode Doppler, 1821

Diastolic function, Effects of anaesthesia and recent surgery on diastolic function, 325

Do potassium channel openers compete with ATP to activate ATP sensitive potassium channels? 754

The K_{ATP} and K_V channels are distinct entities: counterpoint, 738

Digital video contrast angiography. In vivo assessment of left ventricular remodelling after myocardial infarction by digital video contrast angiography in the rat, 349

Dilated cardiomyopathy, Myocardial lipid composition in turkeys with dilated cardiomyopathy, 407

Disease, Health and disease, 1747

Dobutamine, Effects of dobutamine stimulation on regional myocardial glucose uptake poststunning as measured by positron emission tomography, 1030 Doctors, Health and disease, 1747

Dofetilide, Dofetilide reduced the incidence of ventricular fibrillation during acute myocardial ischaemia, 1635

Dopexamine, Regional blood flow effects of dopexamine versus enalaprilat during propofol anaesthesia in rabbits with experimental chronic heart failure, 710

Elastance, Series coupled non-contractile elements are functionally

unimportant in the isolated heart, 242 Elastase, Neutrophil elastase inhibitor ICI 200,880 protects against attenuation of coronary flow reserve and myocardial dys-function following temporary coronary artery occlusion in the dog. 947

Electrical pulses. Non-neurogenic contractions in isolated coronary arteries by brief electrical pulses, 1843

Electrophysiological effects, Myocardial ischaemia induces platelet activation with adverse electrophysiological and arrhythmogenic effects, 1662

Electrophysiology

Effects of contraction-excitation feedback on electrophysiology and arrhythmogenesis in rabbits with experimental left ventricular hypertrophy, 1390

Heterogeneity in extracellular potassium concentration during early myocardial ischaemia and reperfusion: implications for arrhythmogenesis: review article, 770

Embryotoxicity, Induction of rhythm abnormalities in the fetal rat heart. A tentative mechanism for the embryotoxic effect of the class III antiarrhythmic agent almokalant, 337

Enalaprilat, Regional blood flow effects of dopexamine versus enalaprilat during propofol anaesthesia in rabbits with experimental chronic heart failure, 710

End diastolic pressure and volume, Direct recording of EDP-EDV relationship in isolated rat left ventricle, 715

Endocardial endothelial cells, Endothelin secretion by endocardial

endothelial cells: correspondence, 722 Endocardial endothelium, Modulation of myocardial relaxation by basal release of endothelin from endocardial endothelium, 1694

Endocardial innervation, Human endocardial innervation and its relationship to the endothelium, 1490

Endoplasmic reticulum, Increase in rat aortic endothelial free calcium mediated by metabolically sensitive calcium release from endoplasmic reticulum, 1433

Endothelial cells, Carvedilol, a new vasodilating β adrenoceptor blocker antihypertensive drug, protects endothelial cells from damage initiated by xanthine-xanthine oxidase and neutro-

Endothelial free calcium, Increase in rat aortic endothelial free calcium mediated by metabolically sensitive calcium release from endoplasmic reticulum, 1433

Endothelin

Endothelin secretion by endocardial endothelial cells: correspondence, 722

Modulation of myocardial relaxation by basal release of endothelin from endocardial endothelium, 1694

Endothelin-1

Big ET-1 infusion in man causes renal ET-1 release, renal and splanchnic vasoconstriction, and increased mean arterial blood pressure, 1559

Intravenous administration of the endothelin-1 antagonist BQ-123 does not ameliorate myocardial ischaemic injury following acute coronary artery occlusion in the dog,

Phosphatidic acid increases in response to noradrenaline and endothelin-1 in adult rabbit ventricular myocytes, 1828

Selective changes in natriuretic peptide and early response gene expression in isolated rat atria following stimulation by stretch or endothelin-1, 1519

Why are circulating concentrations of endothelin-1 so low? viewpoint, 1613

Endothelium

Endothelial function of human gastroepiploic artery in com-

parison with saphenous vein, 500 Endothelial nucleotide catabolism and adenosine production,

Endothelial protection by converting enzyme inhibitors: review article, 166

Endothelium dependent vasomotor responses to endogenous agonists are potentiated following ACE inhibition by a bradykinin dependent mechanism, 209

Human endocardial innervation and its relationship to the

endothelium, 1490

Palmitoyl-L-carnitine modifies the function of vascular endothelium, 129

Endothelium dependent relaxation

Autologous neutrophil derived supernatants inhibit endothelium dependent relaxation in human coronary bypass graft, 1353

Endothelium dependent relaxation in chronic heart failure: invited letter, 720

Enhancement of endothelium dependent relaxation in the rat

aortic ring by selenium supplement, 345
Endothelium dependent vasodilatation, Vitamin E restores endothelium dependent vasodilatation in cholesterol fed rabbits: in vivo measurements by photoplethysmography,

Endothelium derived nitric oxide, Attenuation of coronary autoregulation in the isolated rabbit heart by endothelium derived nitric oxide, 414

Endothelium derived relaxing factors, Contribution of endothelium derived relaxing factors to acetylcholine induced vasodilatation in the rat kidney, 1373

Enzyme release, Enzyme release into the interstitial space of the isolated rat heart induced by changes in contractile performance, 1292

Epinine, Role of aging on electrical, mechanical, and coronary modifications induced by ouabain and epinine in isolated rat heart, 358

Excitation-contraction coupling, Release of calcium from guinea pig cardiac sarcoplasmic reticulum induced by sodiumcalcium exchange, 370

Exercise

Effect of inhibition of nitric oxide formation on coronary blood flow during exercise in the dog, 119

Effects of exercise on the autonomic control of the heart: training

or overtraining? correspondence, 141
Experimental research, The use of anaesthesia in experimental research: invited letter, 432

Extracellular pH, Inhibition of pinacidil induced IKIATP) in heart by changes in extracellular pH, 836

Extracellular potassium

Heterogeneity in extracellular potassium concentration during early myocardial ischaemia and reperfusion: implications for arrhythmogenesis: review article, 770

Role of ATP sensitive potassium channel in extracellular potassium accumulation and cardiac arrhythmias during myocardial ischaemia: review article, 762

Factor Xa, Maintenance of canine coronary artery patency following thrombolysis with front loaded plus low dose maintenance conjunctive therapy. A comparison of factor Xa versus thrombin inhibition, 78

Fatty streaks, Effect of isradipine on the formation and regression of fatty streaks in cholesterol fed rabbits, 1089

Fenofibrate, Growth inhibition of human vascular smooth muscle cells by fenofibrate: a possible therapy for restenosis, 615 Fibroblasts

Aldosterone and cardiac fibrosis, 1863

Collagen and fibronectin expression in cardiac fibroblasts from hypertensive rats, 1342

Fibronectin

Collagen and fibronectin expression in cardiac fibroblasts from hypertensive rats, 1342

Expression of fibronectin during rat fetal and postnatal development, 1653

Fibrosis

Amiodarone protection against myocardial injury and fibrosis induced by isoprenaline is abolished by thyroid hormone,

Cardiac angiotensin converting enzyme and myocardial fibrosis in the rat, 1423

Forearm blood flow, Forearm blood flow responses to a nitric oxide synthase inhibitor in patients with treated essential hypertension, 1720: invited letter, 1873

Forskolin, Effect of glibenclamide, forskolin, and isoprenaline on the parallel activation of K_{ATP} and reduction of I_K by cromakalim in cardiac myocytes, 818

Fosinoprilate, Fosinoprilate prolongs the action potential: reduction of ik and enhancement of the L-type calcium current in guinea pig ventricular myocytes, 201 Free radicals

Effects of 21-aminosteroids in neonatal rat cardiac myocyte cell cultures exposed to free radicals, 1500

Free radical related myocardial mitochondrial damage following limb ischaemia-reperfusion, 1868

Free radicals and reperfusion arrhythmias: invited commentaries. 424

Reperfusion induced arrhythmias are caused by generation of free radicals, 422

Reperfusion induced arrhythmias are not caused by generation of free radicals, 423

Frequency domain, Determinants of frequency domain measures of heart rate variability in the acute and convalescent phases of myocardial infarction, 1273

G protein complex, Cellular and molecular alterations in the β adrenergic system with cardiomyopathy induced by tachy-cardia, 1243

Gastroepiploic artery, Endothelial function of human gastroepiploic

artery in comparison with saphenous vein, 500
Gating mechanisms, Gating mechanisms of ATP sensitive potassium channels: implication in reperfusion injury and preconditioning: viewpoint, 729

Gene expression, Changes in gene expression following short coronary occlusions studied in porcine hearts with run-on assays, 1062

Gene transfer, Gene transfer and vascular disease: viewpoint, 445 Glibenclamide

A glibenclamide sensitive potassium conductance in terminal arterioles isolated from guinea pig heart, 823

Effect of an ATP sensitive potassium channel opener, levcromakalim, on coronary arterial microvessels in the beating canine heart, 1780

Effect of glibenclamide, forskolin, and isoprenaline on the parallel activation of K_{ATP} and reduction of I_K by cromakalim in cardiac myocytes, 818

Effect of potassium on the action of the K_{ATP} modulators

cromakalim, pinacidil, or glibenclamide on arrhythmias in isolated perfused rat heart subjected to regional ischaemia,

The sensitivity of coronary vascular tone to glibenclamide: a study on the isolated perfused guinea pig heart, 888

Glucose uptake, Effects of dobutamine stimulation on regional myocardial glucose uptake poststunning as measured by positron emission tomography, 1030

Glutathione redox cycle, Cardioprotective effects of platelets against ischaemia-reperfusion injury are related in part to platelet glutathione redox cycle, 1586

Glycogen, Determination of high energy phosphates and glycogen in cardiac and skeletal muscle biopsies, with special

reference to influence of biopsy technique and delayed freezing, 524

Glycolytic blockade, Preconditioning of isolated rabbit cardiomyocytes: effects of glycolytic blockade, phorbol esters, and ischaemia, 1700

Granzyme A, Effects of purified perforin and granzyme A from cytotoxic T lymphocytes on guinea pig ventricular myocytes, 643

Gregg effect, Accounting for the Gregg effect in tetanised coronary

arterial pressure-flow relationships, 228 Growth inhibition, Growth inhibition of human vascular smooth muscle cells by fenofibrate: a possible therapy for restenosis,

Health, Health and disease, 1747

Heart failure

Captopril treatment does not restore either the renal or the ANF release response during volume expansion in moderate to severe high output heart failure, 1533

Depressed contractile state and increased myocardial consumption for non-mechanical work in patients with heart failure due to old myocardial infarction, 1251

Endothelium dependent relaxation in chronic heart failure: invited letter, 720

Left ventricular remodelling and disparate changes in contractility and relaxation during the development of and recovery from experimental heart failure, 66

Mechanisms of β adrenoceptor desensitisation in the failing human heart: masterclass, 1451

Regional blood flow effects of dopexamine versus enalaprilat during propofol anaesthesia in rabbits with experimental chronic heart failure, 710

Triggered activity and automaticity in ventricular trabeculae of failing human and rabbit hearts, 1547

Heart rate

Determinants of frequency domain measures of heart rate variability in the acute and convalescent phases of myocardial infarction, 1273 Effect of heart rate on myocardial relaxation in isometric

twitches, 92

Heart rate and athletic training: invited letter, 284

Influence of heart rate and vasoactive drugs on blood flow patterns at the canine ilio-femoral bifurcation, 1686

Long term bradycardia by electrical pacing: a new method for studying heart rate reduction, 1774

Heart transplantation

Immune effector mechanisms in heart transplant rejection: masterclass, 1748 Orthotopic cardiac transplantation reverses abnormal reflex

regulation of the microvasculature in the lower leg, 1707 Heat stress, Increased endogenous catalase activity caused by heat

stress does not protect the isolated rat heart against exogenous hydrogen peroxide, 1096

Heparin, Mechanical and electrophysiological effects of protamine on isolated ventricular myocardium: evidence for calcium overload, 505

Hexamethonium, Alteration of autonomic influence on left ventricular contractility by epicardial superfusion with hexamethonium and procaine, 1042

Hibernation, ATP gated potassium channels in acute myocardial hibernation and reperfusion, 872

Histamine, Responses to histamine and acetylcholine in isolated monkey mesenteric veins versus arteries, 667

Homeostasis, Therapeutic value of drugs which modulate nitric oxide homeostasis: invited letter, 140

Hydrogen ion, Effects of intracellular sodium and hydrogen ion on

the sodium activated potassium channel in isolated patches from guinea pig ventricular myocytes, 1036

Hydrogen peroxide Effects of N-methyl hexanoylhydroxamic acid (NMHH) and

myoglobin on endothelial damage by hydrogen peroxide, Increased endogenous catalase activity caused by heat stress does

not protect the isolated rat heart against exogenous hydrogen peroxide, 1096 Inhibition of vasoactive amine induced contractions of vascular

smooth muscle by hydrogen peroxide in rabbit aorta, 963 Hyperkalaemia, Age related differences in the response to acidosis, hypoxia, and hyperkalaemia in canine cardiac Purkinje fibres, 125 Hyperlipidaemia, Morphological evidence for the antiatherogenic effect of scoparone in hyperlipidaemic diabetic rabbits, 1679 Hyperosmolarity, Effect of hyperosmotic perfusion on rate of

oxygen consumption of isolated guinea pig and rat hearts during cardioplegia, 485

Hypertension, Forearm blood flow responses to a nitric oxide synthase inhibitor in patients with treated essential hypertension, 1720: invited letter, 1873

Hypertensive cardiomyopathy, Myocyte cellular hypertrophy is responsible for ventricular remodelling in the hypertrophied heart of middle aged individuals in the absence of cardiac failure, 1199

Hypertrophied feline ventricular myocytes, Effect of duration of depolarisation of contraction of normal and hypertrophied feline ventricular myocytes, 1482

Hypertrophy

Cellular electrophysiology in cardiac hypertrophy and failure: review article, 933

Hypertrophy causes delayed conduction in human and guinea pig myocardium: accentuation during ischaemic perfusion, 47: correspondence, 722

Ischaemic preconditioning protects hypertrophied myocardium, 1025

Hypotension, Effects of a nitric oxide synthase inhibitor in humans with septic shock, 34

Hypothermia, Prevention of some hypothermia induced electromechanical changes by calcium channel blockade, 55

Hypoxanthine, Adenosine: a sensitive marker of myocardial ischaemia in man, 656

Hypoxia

Acute ischaemic preconditioning and chronic hypoxia independently increase myocardial tolerance to ischaemia, 312

Age related differences in the response to acidosis, hypoxia, and hyperkalaemia in canine cardiac Purkinje fibres, 125

Alterations in the myocardial creatine kinase system during chronic anaemic hypoxia, 86

Changes in interstitial adenosine during hypoxia: relationship to oxygen supply:demand imbalance, and effects of adenosine deaminase, 1320

Effects of acidosis and hypoxia on the response of isolated ferret cardiac muscle to inotropic agents, 1209

Effects of xanthine amine congener on hypoxic coronary resistance and venous and epicardial adenosine concentrations, 604

Ionic basis of ischaemic cardiac injury: insights from cellular studies: masterclass, 581

Reversal of pulmonary vascular remodelling following hypoxic exposure: no effect of infusion of atrial natriuretic factor and neutral endopeptidase inhibitor, 519

ICI 200,880, Neutrophil elastase inhibitor ICI 200,880 protects against attenuation of coronary flow reserve and myocardial dysfunction following temporary coronary artery occlusion in the dog, 947

IKI blockade

Commentaries on the I_{K1} blockade controversy (March issue), 1118-1120

IKI blockade is a potentially useful antiarrhythmic mechanism: controversy, 421: commentary, 720

IKI blockade is unlikely to be a useful antiarrhythmic mechanism: controversy, 420: commentary, 720

Is IKI blockade proarrhythmic or antiarrhythmic? correspondence, 1120

IK(Na) channel, Effects of intracellular sodium and hydrogen ion on the sodium activated potassium channel in isolated patches from guinea pig ventricular myocytes, 1036

Ilio-femoral bifurcation, Influence of heart rate and vasoactive drugs on blood flow patterns at the canine ilio-femoral bifurcation, 1686

Immune effector mechanisms, Immune effector mechanisms in heart transplant rejection: masterclass, 1748

III In-antimyosin monoclonal antibody, Effect of reperfusion on ¹¹¹In-antimyosin monoclonal antibody uptake: invited letter, 285

In situ hybridisation, Expression of fibronectin during rat fetal and postnatal development, 1653

Infarct size

A1 receptor mediated myocardial infarct size reduction by endogenous adenosine is exerted primarily during ischaemia, 270

Adenosine blockade during reperfusion reverses the infarct limiting effect in preconditioned canine hearts, 1083 How to identify and quantify an underperfused zone, 570

"Normothermic range" temperature affects myocardial infarct

size, 1014

Superoxide dismutase and N-2-mercaptopropionyl glycine attenuate infarct size limitation effect of ischaemic preconditioning in the rabbit, 980

Inferior vena cava, Measurement of anterior-posterior diameter of inferior vena cava by ultrasonography, 1269

Innervation, Human endocardial innervation and its relationship to the endothelium, 1490

Inotropic agents, Effects of acidosis and hypoxia on the response of isolated ferret cardiac muscle to inotropic agents, 1209 Intercellular adhesion molecule-1

Enhanced leucocyte adhesion to interleukin-1B stimulated vascular smooth muscle cells is mainly through intercellular adhesion molecule-1, 1808

Expression of intercellular adhesion molecule-1 on rat cardiac myocytes by monocyte chemoattractant protein-1, 1258

Interleukin-1B, Enhanced leucocyte adhesion to interleukin-1B stimulated vascular smooth muscle cells is mainly through intercellular adhesion molecule-1, 1808

Intimal thickening, Suramin inhibits intimal thickening following intima injury in the rabbit aorta in vivo, 1166

Intracellular chloride activity, Electrodiffusive movements of chloride ion in sodium-free solution: a possible calcium activated chloride conductance in cultured heart cells, 1629

Intrinsic cardiac neurones, Chemical modulation of in situ intrinsic cardiac neurones influences myocardial blood flow in the anaesthetised dog, 1403 Ionic currents, Depressed transient outward and calcium currents in

dilated human atria, 548

Ions, Ionic basis of ischaemic cardiac injury: insights from cellular studies: masterclass, 581

Free radical related myocardial mitochondrial damage following limb ischaemia-reperfusion, 1868

Ionic basis of ischaemic cardiac injury: insights from cellular studies: masterclass, 581

Myocardial ischaemia: can we agree on a definition for the 21st century? end of year editorial, 1737

Preconditioning human ventricular cardiomyocytes with brief periods of simulated ischaemia, 1285

Simulated ischaemia and reperfusion in isolated guinea pig ventricular myocytes, 1794

The definition of ischaemia: commentaries, 1745 Ischaemia induced vulnerability, Quantification of ischaemia induced vulnerability by precordial T wave alternans analysis

in dog and human, 1440 Ischaemia-reperfusion injury

Cardioprotective effects of platelets against ischaemia-reperfusion injury are related in part to platelet glutathione redox cycle, 1586

Role of selectins, a new family of adhesion molecules, in ischaemia-reperfusion injury: review article, 289

Ischaemic heart disease

ATP sensitive potassium channel openers are of potential benefit in ischaemic heart disease, 32: invited letters, 135, 286

Blockers of ATP sensitive potassium current are of potential benefit in ischaemic heart disease, 31: invited letters, 135, 286

Ischaemic preconditioning
Adenosine blockade during reperfusion reverses the infarct limiting effect in preconditioned canine hearts, 1083

Adenosine receptor specificity in preconditioning of isolated rabbit cardiomyocytes: evidence of A₃ receptor involvement, 1049

Anaesthetics alter the magnitude of infarct limitation by ischaemic preconditioning, 1574

Does ischaemic preconditioning occur in the human heart? viewpoint, 1461

Evidence that the adenosine A3 receptor may mediate the protection afforded by preconditioning in the isolated rabbit heart, 1057

Ischaemic preconditioning protects hypertrophied myocardium, 1025

Preconditioning of isolated rabbit cardiomyocytes: effects of glycolytic blockade, phorbol esters, and ischaemia, 1700 Superoxide dismutase and N-2-mercaptopropionyl glycine

attenuate infarct size limitation effect of ischaemic preconditioning in the rabbit, 980

Isometric twitches, Effect of heart rate on myocardial relaxation in isometric twitches, 92

Isoprenaline

Amiodarone protection against myocardial injury and fibrosis induced by isoprenaline is abolished by thyroid hormone, 1008

Effect of glibenclamide, forskolin, and isoprenaline on the parallel activation of $K_{\rm ATP}$ and reduction of $I_{\rm K}$ by cromakalim in cardiac myocytes, 818

Minimal modification of canine ventricular myocyte cell surface β adrenoceptors despite desensitisation of ventricular function during exogenous β adrenoceptor challenge,

Transforming growth factor β_1 and extracellular matrix gene expression in isoprenaline induced cardiac hypertrophy: effects of inhibition of the renin-angiotensin system, 1835

Isradipine, Effect of isradipine on the formation and regression of fatty streaks in cholesterol fed rabbits, 1089

Ketamine-xylazine anaesthesia, Ketamine-xylazine anaesthesia permits a K_{ATP} channel antagonist to attenuate pre-conditioning in rabbit myocardium, 1337

Kidney, Contribution of endothelium derived relaxing factors to acetylcholine induced vasodilatation in the rat kidney, 1373

Kininase-II

Inhibition of ACE/kininase-II, acute myocardial infarction, and survival: review article, 190
Inhibition of ACE/kininase-II after myocardial infarction -

addendum: viewpoint, 199

L-arginine, Long term administration of L-arginine, L-NAME, and the exogenous NO donor molsidomine modulates urinary nitrate and cGMP excretion in rats, 494

L-NAME, Long term administration of L-arginine, L-NAME, and the exogenous NO donor molsidomine modulates urinary nitrate and cGMP excretion in rats, 494

L-NMMA, Forearm blood flow responses to a nitric oxide synthase inhibitor in patients with treated essential hypertension, 1720: invited letter, 1873

Lactate

Adenosine: a sensitive marker of myocardial ischaemia in man,

Changes in myoplasmic sodium concentration during exposure to lactate in perfused rat heart, 987

Modulation of sodium current by lactate in guinea pig ventricular myocytes, 1507

Potassium loss during myocardial ischaemia and hypoxia: does lactate efflux play a role? review article, 112

Left ventricle

Conductance catheter measurements of left ventricular volume in the intact dog: parallel conductance is independent of left ventricular size, 252

Direct recording of EDP-EDV relationship in isolated rat left ventricle, 715

Energetics of the negative and positive inotropism of pentobarbitone sodium in the canine left ventricle, 557

Filling of a model left ventricle studied by colour M mode Doppler, 1821

Mechanically induced changes in action potential duration and left ventricular segment length in acute regional ischaemia in the in situ porcine heart, 528

Previous beat contraction history alters mechanical restitution in the isolated left ventricle, 535

Rotational deformation of the canine left ventricle measured by magnetic resonance tagging: effects of catecholamines, ischaemia, and pacing, 629

coupled non-contractile elements are functionally unimportant in the isolated heart, 242

Left ventricular contractility, Alteration of autonomic influence on left ventricular contractility by epicardial superfusion with hexamethonium and procaine, 1042

Left ventricular hypertrophy

Effects of contraction-excitation feedback on electrophysiology and arrhythmogenesis in rabbits with experimental left ventricular hypertrophy, 1390

Ionic basis of action potential prolongation of hypertrophied cardiac myocytes isolated from hypertensive rats of different ages, 1180

Milrinone, a cyclic AMP-phosphodiesterase inhibitor, has differential effects on regional myocardial work and oxygen consumption in experimental left ventricular hypertrophy, 1360

Left ventricular remodelling, In vivo assessment of left ventricular remodelling after myocardial infarction by digital video

contrast angiography in the rat, 349
Lemakalim, Effect of lemakalim on action potentials, intracellular calcium, and contraction in guinea pig and human cardiac myocytes, 851

Levcromakalim

Assessment of ability of levcromakalim and sodium nitroprusside to reverse the cardiovascular effects of nitric oxide synthase inhibition in the anaesthetised pig, 894

Effect of an ATP sensitive potassium channel opener, leveromakalim, on coronary arterial microvessels in the beating canine heart, 1780

Ligand gated channels, Nucleotide regulation of ATP sensitive potassium channels: review article, 746

Lipids, Myocardial lipid composition in turkeys with dilated cardiomyopathy, 407

Low density lipoprotein, Alteration of lysophosphatidylcholine content in low density lipoprotein after oxidative modification: relationship to endothelium dependent relaxation, 1476

Lumen size, Decreased lumen size after balloon injury despite inhibition of neointimal thickening and antivasospastic treatment, 215

Lysophosphatidylcholine

Alteration of lysophosphatidylcholine content in low density lipoprotein after oxidative modification: relationship to endothelium dependent relaxation, 1476

Increased lysophosphatidylcholine content induced by thrombin receptor stimulation in adult rabbit cardiac ventricular

myocytes, 1263

Magnetic resonance tagging, Rotational deformation of the canine left ventricle measured by magnetic resonance tagging: effects of catecholamines, ischaemia, and pacing, 629

MANOVA, Repeated measurements and multiple comparisons in cardiovascular research, 303

cardiovascular research, 303

MDL 74,405, Beneficial effects of MDL 74,405, a cardioselective water soluble α tocopherol analogue, on the recovery of function of stunned myocardium in intact dogs, 235

Measurements, Repeated measurements and multiple comparisons

in cardiovascular research, 303

Mechanical restitution, Previous beat contraction history mechanical restitution in the isolated left ventricle, 535

Mechanoenergetics, Energetics of the negative and positive inotropism of pentobarbitone sodium in the canine left ventricle, 557

Medical profession, Health and disease, 1747

Megakaryocyte DNA content, Megakaryocyte DNA content is increased in patients with coronary artery atherosclerosis, 1348

N-2-Mercaptopropionyl glycine, Superoxide dismutase and N-2-mercaptopropionyl glycine attenuate infarct size limitation effect of ischaemic preconditioning in the rabbit, 980

Mesenteric veins and arteries, Responses to histamine and acetylcholine in isolated monkey mesenteric veins versus arteries, 667

Metabolic stress

Role of ATP sensitive potassium channels in long term adaptation to metabolic stress: review article, 788

The ATP sensitive potassium channel of cardiac muscle and action potential shortening during metabolic stress, 760

Mexiletine, External pH modifies sodium channel block by mexiletine in guinea pig ventricular myocytes, 973
Microcirculation, Effect of an ATP sensitive potassium channel opener, levcromakalim, on coronary arterial microvessels in

the beating canine heart, 1780
Microsphere techniques, Developments in non-radioactive microsphere techniques for blood flow measurement: viewpoint,

Microvascular spasm, Enhanced coronary vasoconstriction in the Syrian myopathic hamster supports the microvascular spasm hypothesis, 320

Milrinone, Milrinone, a cyclic AMP-phosphodiesterase inhibitor, has differential effects on regional myocardial work and oxygen consumption in experimental left ventricular hypertrophy, 1360

1890

Mitochondrial damage, Free radical related myocardial mitochondrial damage following limb ischaemia-reperfusion,

Mitochondrial function

Cardiomyopathy and abnormal mitochondrial function: viewpoint, 456

Mitochondrial function in the oxygen depleted and reoxygenated myocardial cells: masterclass, 1

Mitogens, Mitogens for adult rat aortic vascular smooth muscle cells in serum-free primary culture, 1238

Molsidomine, Long term administration of L-arginine, L-NAME, and the exogenous NO donor molsidomine modulates urinary nitrate and cGMP excretion in rats, 494

Monoclonal antibody, Monoclonal antibody to P-selectin (PB1.3) protects against myocardial reperfusion injury in the dog. 1414

Monocyte chemoattractant protein-1, Expression of intercellular adhesion molecule-1 on rat cardiac myocytes by monocyte chemoattractant protein-1, 1258 Morphometry, Morphometry of arterioles and capillaries in hearts

of senescent mice, 969

Myocardial blood flow, Role of positron emission tomography in the investigation of human coronary circulatory function: masterclass, 1595

Myocardial cells, Mitochondrial function in the oxygen depleted and reoxygenated myocardial cells: masterclass,

Myocardial contractile force, Coronary perfusion related changes in myocardial contractile force and systolic ventricular stiffness, 1331

Myocardial energetics, Positive inotropism and myocardial energetics: influence of β receptor agonist stimulation, phosphodiesterase inhibition, and ouabain, 994 Myocardial infarct

Anaesthetics alter the magnitude of infarct limitation by

ischaemic preconditioning, 1574

The novel calcium antagonist Ro 40-5967 limits myocardial

infarct size in the dog, 1526

Myocardial infarction

Angiotensin converting enzyme inhibitors and cardiovascular remodelling: review article, 159

Angiotensin II receptor binding following myocardial infarction in the rat, 1623

Depressed contractile state and increased myocardial consumption for non-mechanical work in patients with heart failure due to old myocardial infarction, 1251

Determinants of frequency domain measures of heart rate variability in the acute and convalescent phases of myocardial infarction, 1273

Evidence that the adenosine A3 receptor may mediate the protection afforded by preconditioning in the isolated rabbit heart, 1057

Identification of conduction block in cardiac muscle: in vitro observations in canine epicardium, 259

In vivo assessment of left ventricular remodelling after myocardial infarction by digital video contrast angiography in the rat, 349

Inhibition of ACE/kininase-II, acute myocardial infarction, and survival: review article, 190

Inhibition of ACE/kininase-II after myocardial infarction addendum: viewpoint, 199

Low incidence of ventricular arrhythmias induced by ischaemia at the borders of a chronic infarct in a model with local postinfarction denervation, 1018

Myocardial injury, Amiodarone protection against myocardial injury and fibrosis induced by isoprenaline is abolished by thyroid hormone, 1008

Myocardial ischaemia

Adenosine: a sensitive marker of myocardial ischaemia in man, 656

Brief perfusion with diluted whole blood after global myocardial

ischaemia increases reperfusion injury, 1157 Cardiogenic shock induced by cocaine in swine with normal coronary arteries, 105

Dofetilide reduced the incidence of ventricular fibrillation during acute myocardial ischaemia, 1635

Heterogeneity in extracellular potassium concentration during early myocardial ischaemia and reperfusion: implications for arrhythmogenesis: review article, 770

How to identify and quantify an underperfused zone, 570

Mechanically induced changes in action potential duration and

left ventricular segment length in acute regional ischaemia in the in situ porcine heart, 528

Myocardial ischaemia: can we agree on a definition for the 21st century? end of year editorial, 1737

Myocardial ischaemia induces platelet activation with adverse electrophysiological and arrhythmogenic effects, 1662

Potassium loss during myocardial ischaemia and hypoxia: does lactate efflux play a role? review article, 1125
Protective effects of ATP sensitive potassium channel openers in

models of myocardial ischaemia: review article, 778 Reduced pain during baroreceptor stimulation in patients with

symptomatic and silent myocardial ischaemia, 515 Role of ATP sensitive potassium channel in extracellular

potassium accumulation and cardiac arrhythmias during myocardial ischaemia: review article, 762 The complement system in myocardial ischaemia/reperfusion injury: masterclass, 437

The definition of ischaemia: commentaries, 1745

The pathophysiological role of platelets during myocardial ischaemia, 295

Upregulation of vascular endothelial growth factor expression induced by myocardial ischaemia: implications for coronary angiogenesis, 1176

Myocardial ischaemic injury, Intravenous administration of the endothelin-1 antagonist BQ-123 does not ameliorate myocardial ischaemic injury following acute coronary artery occlusion in the dog, 1672

Myocardial oxygen consumption, Depressed contractile state and increased myocardial consumption for non-mechanical work in patients with heart failure due to old myocardial infarction,

Myocardial relaxation, Modulation of myocardial relaxation by basal release of endothelin from endocardial endothelium, 1694

Myocardial stunning, Effects of dobutamine stimulation on regional myocardial glucose uptake poststunning as measured by positron emission tomography, 1030

Myocardial tolerance, Acute ischaemic preconditioning and chronic hypoxia independently increase myocardial tolerance to ischaemia, 312

Myocarditis, Immune effector mechanisms in heart transplant rejection: masterclass, 1748

Myocyte cellular hypertrophy, Myocyte cellular hypertrophy is responsible for ventricular remodelling in the hypertrophied heart of middle aged individuals in the absence of cardiac failure, 1199

Myocytes

Adenosine receptor specificity in preconditioning of isolated rabbit cardiomyocytes: evidence of A3 receptor involvement, 1049

Alterations in angiotensin II receptor mediated signal transduction shortly after coronary artery constriction in the rat, 1564 Angiotensin II associated cardiac myocyte necrosis: role of

adrenal catecholamines, 684

Attachment procedures for mechanical manipulation of isolated cardiac myocytes: a challenge, 1758

Contrasting effects of an angiotensin converting enzyme inhibitor and a calcium antagonist on calcium transients in isolated rat cardiac myocytes, 1407

Coronary artery constriction in rats affects the activation of α_1 adrenergic receptors in cardiac myocytes, 1070 Effect of duration of depolarisation of contraction of normal and

hypertrophied feline ventricular myocytes, 1482 Effect of glibenclamide, forskolin, and isoprenaline on the

parallel activation of KATP and reduction of IK by cromakalim in cardiac myocytes, 818

Effect of lemakalim on action potentials, intracellular calcium, and contraction in guinea pig and human cardiac myocytes, 851

Effects of 21-aminosteroids in neonatal rat cardiac myocyte cell cultures exposed to free radicals, 1500

Expression of intercellular adhesion molecule-1 on rat cardiac myocytes by monocyte chemoattractant protein-1, 1258

How to isolate cardiac myocytes, 280

Increased lysophosphatidylcholine content induced by thrombin receptor stimulation in adult rabbit cardiac ventricular myocytes, 1263

Intracellular acidification and ADP enhance nicorandil induction of ATP sensitive potassium channel current in cardiomyocytes, 831

Ionic basis of action potential prolongation of hypertrophied cardiac myocytes isolated from hypertensive rats of different ages, 1180

Modulation of sodium current by lactate in guinea pig ventricular myocytes, 1507

Neutrophil mediated damage to isolated myocytes after anoxia

and reoxygenation, 565
Phosphatidic acid increases in response to noradrenaline and endothelin-1 in adult rabbit ventricular myocytes, 1828 Preconditioning human ventricular cardiomyocytes with brief

periods of simulated ischaemia, 1285 Rapid and slow components of delayed rectifier current in human

atrial myocytes, 1540 Simulated ischaemia and reperfusion in isolated guinea pig

ventricular myocytes, 1794 Sodium pump current measured in cardiac ventricular myocytes isolated from control and potassium depleted rabbits, 1854

Streptomycin reverses a large stretch induced increase in [Ca²⁺], in isolated guinea pig ventricular myocytes, 1193

Myogenic contraction, Effects of ryanodine on development of myogenic response in rat small skeletal muscle arteries, 480

lobin, Effects of N-methyl hexanoylhydroxamic acid (NMHH) and myoglobin on endothelial damage by hydrogen Myoglobin, peroxide, 1641

Myoplasmic sodium, Changes in myoplasmic sodium concentration during exposure to lactate in perfused rat heart, 987

N6-endonorbornan-2-yl-9-methyladenine (N-0861), Cardiovascular effects of a non-xanthine-selective antagonist of the A₁ adenosine receptor in the anaesthetised pig, 621

N-methyl hexanoylhydroxamic acid, Effects of N-methyl hexanoylhydroxamic acid (NMHH) and myoglobin on endothelial damage by hydrogen peroxide, 1641

Na/K-ATPase gene expression, Sodium ion mediated regulation of Na/K-ATPase gene expression in vascular smooth muscle cells, 957

Natriuretic peptide, Selective changes in natriuretic peptide and early response gene expression in isolated rat atria following

stimulation by stretch or endothelin-1, 1519

Neutral endopeptidase inhibitor, Reversal of pulmonary vascular remodelling following hypoxic exposure: no effect of infusion of atrial natriuretic factor and neutral endopeptidase inhibitor, 519

Neutrophils

Adenosine blockade during reperfusion reverses the infarct limiting effect in preconditioned canine hearts, 1083

Autologous neutrophil derived supernatants inhibit endothelium dependent relaxation in human coronary bypass graft,

dilol, a new vasodilating β adrenoceptor blocker antihypertensive drug, protects endothelial cells from damage initiated by xanthine-xanthine oxidase and neutrophils, 400

Myocardial neutrophil sequestration and activation related to the reperfusion of human heart during coronary artery surgery,

1226

Neutrophil eleastase inhibitor ICI 200,880 protects against attenuation of coronary flow reserve and myocardial dysfunction following temporary coronary artery occlusion in the dog, 947

Neutrophil mediated damage to isolated myocytes after anoxia and reoxygenation, 565

Stimulation of endothelial adenosine A₁ receptors enhances adhesion of neutrophils in the intact guinea pig coronary system, 1366

The complement system in myocardial ischaemia/reperfusion injury: masterclass, 437

Nicorandil

Inhibitory effects of nicorandil on sympathetic coronary vasoconstriction, 917

Intracellular acidification and ADP enhance nicorandil induction of ATP sensitive potassium channel current in cardiomyocytes, 831

Long term increases in coronary arterial conductance during five day infusion of low dose nicorandil, 912

Nicotine, Chemical modulation of in situ intrinsic cardiac neurones influences myocardial blood flow in the anaesthetised dog, Nilvadipine, Contrasting effects of an angiotensin converting enzyme inhibitor and a calcium antagonist on calcium transients in isolated rat cardiac myocytes, 1407

Nisoldipine

Effects of ryanodine on development of myogenic response in rat small skeletal muscle arteries, 480

Prevention of some hypothermia induced electromechanical changes by calcium channel blockade, 55

Nitrate, Long term administration of L-arginine, L-NAME, and the exogenous NO donor molsidomine modulates urinary nitrate and cGMP excretion in rats, 494

Nitric oxide

Assessment of ability of leveromakalim and sodium nitroprusside to reverse the cardiovascular effects of nitric oxide synthase inhibition in the anaesthetised pig, 894

Attenuation of coronary autoregulation in the isolated rabbit heart by endothelium derived nitric oxide, 414

Cholinergic neurogenic vasodilatation is mediated by nitric oxide in the dog hindlimb, 542

Drugs that alter nitric oxide homeostasis: invited letter, 284 Effect of inhibition of nitric oxide formation on coronary blood flow during exercise in the dog, 119

Effects of a nitric oxide synthase inhibitor in humans with septic

shock, 34 Effects of S-nitroso-glutathione in the human forearm circulation: evidence for selective inhibition of platelet activation, 691

Endothelium dependent vasomotor responses to endogenous agonists are potentiated following ACE inhibition by a bradykinin dependent mechanism, 209

Functional analysis of vascular dysfunction in cyclosporin treated rats, 1152

Long term administration of L-arginine, L-NAME, and the exogenous NO donor molsidomine modulates urinary nitrate and cGMP excretion in rats, 494

Nitric oxide biology: implications for cardiovascular therapeutics, 25

Nitric oxide and cardiovascular disease: invited commentary, 432

Synergistic action of vasodilators that increase cGMP and cAMP in the hamster cremaster microcirculation, 1513

Therapeutic value of drugs which modulate nitric oxide homeostasis: invited letter, 140

Nitric oxide synthase inhibitor, Forearm blood flow responses to a nitric oxide synthase inhibitor in patients with treated essential hypertension, 1720: invited letter, 1873

Nodose ganglion afferent neurones, Responsiveness of in situ canine nodose ganglion afferent neurones to epicardial mechanical or chemical stimuli, 1218

Noradrenaline

Effect of angiotensin II on noradrenaline release in the human forearm, 663

Influence of arterial diameter on vasomotor responses in the porcine coronary vasculature, 695

Phosphatidic acid increases in response to noradrenaline and endothelin-1 in adult rabbit ventricular myocytes, 1828

Receptor mediated presynaptic modulation of the release of noradrenaline in human papillary muscle, 700 thermic range" temperature, "Normothermic

"Normothermic range" temperature, temperature affects myocardial infarct size, 1014

Nucleotides

Diverse effects of pinacidil on $K_{\rm ATP}$ channels in mouse skeletal muscle in the presence of different nucleotides, 841

Endothelial nucleotide catabolism and adenosine production, 100

Nucleotide regulation of ATP sensitive potassium channels: review article, 746

Quahain

Electrodiffusive movements of chloride ion in sodium-free solution: a possible calcium activated chloride conductance in cultured heart cells, 1629

Positive inotropism and myocardial energetics: influence of B receptor agonist stimulation, phosphodiesterase inhibition, and ouabain, 994

Role of aging on electrical, mechanical, and coronary modifications induced by ouabain and epinine in isolated rat heart, 358

Oxidants, Effects of oxidants on the sarcoplasmic reticulum of saponin treated rat ventricular trabeculae, 1647

Oxidatively modified LDL, Alteration of lysophosphatidylcholine content in low density lipoprotein after oxidative modification: relationship to endothelium dependent relaxation, 1476

Oxygen

Amplification by phenylephrine and serotonin of coronary vasoconstriction induced by a high arterial blood oxygen tension, 1326

Changes in interstitial adenosine during hypoxia: relationship to oxygen supply:demand imbalance, and effects of adenosine deaminase, 1320

Effect of hyperosmotic perfusion on rate of oxygen consumption of isolated guinea pig and rat hearts during cardioplegia, 485

Milrinone, a cyclic AMP-phosphodiesterase inhibitor, has differential effects on regional myocardial work and oxygen consumption in experimental left ventricular hypertrophy. 1360

Mitochondrial function in the oxygen depleted and reoxygenated myocardial cells: masterclass, 1

Oxygen free radicals

Gating mechanisms of ATP sensitive potassium channels: implication in reperfusion injury and preconditioning: viewpoint, 729

Inhibition of vasoactive amine induced contractions of vascular smooth muscle by hydrogen peroxide in rabbit aorta, 963

P-R interval, Cardiovascular effects of a non-xanthine-selective antagonist of the A₁ adenosine receptor in the anaesthetised pig, 621

P-selectin, Monoclonal antibody to P-selectin (PB1.3) protects against myocardial reperfusion injury in the dog, 1414

Pacing, Long term bradycardia by electrical pacing: a new method for studying heart rate reduction, 1774

Pacing induced heart failure, Recovery of attenuated baroreflex sensitivity in conscious dogs after reversal of pacing induced heart failure, 384

Pain, Reduced pain during baroreceptor stimulation in patients with symptomatic and silent myocardial ischaemia, 515

Palmitoyl-L-carnitine, Palmitoyl-L-carnitine modifies the function of vascular endothelium, 129

Papaverine, Papaverine and regional myocardial function: correspondence, 434

Papillary muscle, Receptor mediated presynaptic modulation of the release of noradrenaline in human papillary muscle, 700

Partial coronary artery occlusion, Ischaemic preconditioning by partial occlusion without intermittent reperfusion, 1146: correspondence, 1735: correction, 1736

Pentobarbitone sodium, Energetics of the negative and positive inotropism of pentobarbitone sodium in the canine left ventricle, 557

Percutaneous transluminal coronary angioplasty

Decreased lumen size after balloon injury despite inhibition of neointimal thickening and antivasospastic treatment, 215

Effects of diaspirin crosslinked haemoglobin during coronary angioplasty in the swine, 1188

Perforin, Effects of purified perforin and granzyme A from cytotoxic T lymphocytes on guinea pig ventricular myocytes, 643 Perfusion

Brief perfusion with diluted whole blood after global myocardial ischaemia increases reperfusion injury, 1157

Coronary perfusion related changes in myocardial contractile force and systolic ventricular stiffness, 1331

Hypertrophy causes delayed conduction in human and guinea pig myocardium: accentuation during ischaemic perfusion, 47: correspondence, 722

Peripheral microcirculation, The peripheral microcirculation in atrial fibrillation: preservation of capillary pressure and filtration coefficient, 1555

Permeabilised rat portal vein, Effect of altered bathing pH on calcium activated force in α toxin permeabilised rat portal vein and human umbilical artery, 1378

pH, Effect of altered bathing pH on calcium activated force in α toxin permeabilised rat portal vein and human umbilical artery, 1378

pH_i, β₁ Adrenoceptor mediated decrease in pH_i in quiescent ventricular myocardium, 112

Phentolamine, Phentolamine blocks ATP sensitive potassium channels in cardiac ventricular cells, 847

Phenylephrine, Amplification by phenylephrine and serotonin of coronary vasoconstriction induced by a high arterial blood oxygen tension, 1326

Phorbol esters, Preconditioning of isolated rabbit cardiomyocytes: effects of glycolytic blockade, phorbol esters, and ischaemia,

1700

Phosphatidic acid, Phosphatidic acid increases in response to noradrenaline and endothelin-1 in adult rabbit ventricular myocytes, 1828

Phosphocreatine, Determination of high energy phosphates and glycogen in cardiac and skeletal muscle biopsies, with special reference to influence of biopsy technique and delayed freezing, 524

Phosphodiesterase inhibition, Positive inotropism and myocardial energetics: influence of β receptor agonist stimulation, phosphodiesterase inhibition, and ouabain, 994

Phospholamban, cAMP concentrations, cAMP dependent protein kinase activity, and phospholamban in non-failing and failing myocardium, 1713

Phospholipase A₂, A phospholipase A₂ inhibitor (Ro 31-4493) prevents protein loss associated with the calcium paradox in isolated guinea pig hearts without effect on contracture, calcium overload, or the currents through L-type calcium channels, 650

Photoplethysmography, Vitamin E restores endothelium dependent vasodilatation in cholesterol fed rabbits: in vivo measure-

ments by photoplethysmography, 1397

Pinacidil

Dilating effect of perivascularly applied potassium channel openers cromakalim and pinacidil in rat and cat pial arteries in situ, 1803

Diverse effects of pinacidil on $K_{\rm ATP}$ channels in mouse skeletal muscle in the presence of different nucleotides, 841

Effect of potassium on the action of the K_{ATP} modulators cromakalim, pinacidil, or glibenclamide on arrhythmias in isolated perfused rat heart subjected to regional ischaemia, 881

Intracellular acidification and ADP enhance nicorandil induction of ATP sensitive potassium channel current in cardiomyocytes, 831

Platelet derived growth factor, Release of platelet derived growth factor in serum free organ culture of human coronary artery,

Platelets

Cardioprotective effects of platelets against ischaemiareperfusion injury are related in part to platelet glutathione redox cycle, 1586

Effects of S-nitroso-glutathione in the human forearm circulation: evidence for selective inhibition of platelet activation, 691

Myocardial ischaemia induces platelet activation with adverse electrophysiological and arrhythmogenic effects, 1662

The pathophysiological role of platelets during myocardial ischaemia, 295

Pneumatic occluder, A new animal model of controlled coronary artery occlusion in conscious rabbits, 61

Polymerase chain reaction, Improved quantification with validation of multiple mRNA species by polymerase chain reaction: application to human myocardial creatine kinase M and B, 464

Positive inotropism, Positive inotropism and myocardial energetics: influence of β receptor agonist stimulation, phosphodiesterase inhibition, and ouabain, 994

Positron emission tomography

Effects of dobutamine stimulation on regional myocardial glucose uptake poststunning as measured by positron emission tomography, 1030

Role of positron emission tomography in the investigation of human coronary circulatory function: masterclass, 1595

Postischaemic contractile dysfunction, Transient α adrenergic stimulation can precondition the rat heart against postischaemic contractile dysfunction, 1726: invited letter, 1872

Postischaemic myocardial dysfunction, Beneficial effects of MDL 74,405, a cardioselective water soluble α tocopherol analogue, on the recovery of function of stunned myocardium in intact dogs, 235

Postreperfusion inflammation, Postreperfusion inflammation: a model for reaction to injury in cardiovascular disease:

masterclass, 1301

Potassium channels

A glibenclamide sensitive potassium conductance in terminal arterioles isolated from guinea pig heart, 823

Assessment of ability of levcromakalim and sodium nitroprusside to reverse the cardiovascular effects of nitric oxide synthase inhibition in the anaesthetised pig, 894

ATP gated potassium channels in acute myocardial hibernation and reperfusion, 872

ATP sensitive potassium channel openers are of potential benefit in ischaemic heart disease, 32: invited letters, 135, 286

ATP sensitive potassium channels are involved in adenosine A. receptor mediated coronary vasodilatation in the dog, 906

Blockers of ATP sensitive potassium current are of potential benefit in ischaemic heart disease, 31: invited letters, 135, 286

Cellular pharmacology of potassium channel openers in vascular smooth muscle: review article, 805

Comparison of effects of aprikalim and of hypoxic and ischaemic preconditioning on extracellular potassium accumulation, metabolism, and functional recovery of the globally ischaemic rat heart, 864

Dilating effect of perivascularly applied potassium channel openers cromakalim and pinacidil in rat and cat pial

arteries in situ, 1803

Diverse effects of pinacidil on $K_{\rm ATP}$ channels in mouse skeletal muscle in the presence of different nucleotides, 841

Do potassium channel openers compete with ATP to activate ATP sensitive potassium channels? 754

Effect of an ATP sensitive potassium channel opener,

leveromakalim, on coronary arterial microvessels in the beating canine heart, 1780

Effect of bimakalim (EMD 52692), an opener of ATP sensitive potassium channels, on infarct size, coronary blood flow, regional wall function, and oxygen consumption in swine, 858

Effect of glibenclamide, forskolin, and isoprenaline on the parallel activation of K_{ATP} and reduction of I_{K} by cromakalim in cardiac myocytes, 818

Effect of lemakalim on action potentials, intracellular calcium, and contraction in guinea pig and human cardiac myocytes, 851

Effect of potassium on the action of the KATP modulators cromakalim, pinacidil, or glibenclamide on arrhythmias in isolated perfused rat heart subjected to regional ischaemia, 881

Electrophysiological effects of ATP sensitive potassium channel modulation: implications for arrhythmogenesis: review article, 16

Evidence that prostaglandins I₂, E₂, and D₂ may activate ATP sensitive potassium channels in the isolated rat heart,

Gating mechanisms of ATP sensitive potassium channels: implication in reperfusion injury and preconditioning: viewpoint, 729

Inhibition of pinacidil induced $I_{K(ATP)}$ in heart by changes in extracellular pH, 836

Inhibitory effects of nicorandil on sympathetic coronary vaso-

constriction, 917 Intracellular acidification and ADP enhance nicorandil induction of ATP sensitive potassium channel current in cardio-

myocytes, 831 Introduction to the special issue on ATP sensitive potassium channels, 726

KATP - fact or artefact? New thoughts on the mode of action of the potassium channel openers: *viewpoint*, 735 K_{ATP} channels: fact or artefact? *commentary*, 741

KATP channels and basal coronary vascular tone: review article, 811

K_{ATP} channels in ischaemic preconditioning: invited letter, 929 KATP channels in ischaemic preconditioning: review article, 783

K_{ATP} channels in vascular smooth muscle: review article, 797 Ketamine-xylazine anaesthesia permits a KATP channel antagonist to attenuate preconditioning in rabbit myocardium, 1337 Long term increases in coronary arterial conductance during five

day infusion of low dose nicorandil, 912 Molecular biology of the K_{ATP} channel. Where's the clone? viewpoint, 727

Nucleotide regulation of ATP sensitive potassium channels: review article, 746

Phentolamine blocks ATP sensitive potassium channels in cardiac ventricular cells, 847

Potassium channel openers are likely to be proarrhythmic in the diseased human heart: cardiovascular controversies, 923

Potassium channel openers are unlikely to be proarrhythmic in the diseased human heart: cardiovascular controversies,

Proarrhythmic potential of the potassium channel openers: commentaries, 926

Protective effects of ATP sensitive potassium channel openers in models of myocardial ischaemia: reivew article,

Role of ATP sensitive potassium channel in extracellular potassium accumulation and cardiac arrhythmias during myocardial ischaemia: review article, 762

Role of ATP sensitive potassium channels in long term adaptation to metabolic stress: review article, 788

The ATP sensitive potassium channel of cardiac muscle and action potential shortening during metabolic stress, 760

The K_{ATP} and K_v channels are distinct entities: counterpoint, 738

The sensitivity of coronary vascular tone to glibenclamide: a study on the isolated perfused guinea pig heart, 888 Potassium depletion, Sodium pump current measured in cardiac

ventricular myocytes isolated from control and potassium depleted rabbits, 1854

Potassium loss, Potassium loss during myocardial ischaemia and hypoxia: does lactate efflux play a role? review article, 1125 Preconditioning

Acadesine extends the window of protection afforded by ischaemic preconditioning, 379

Acute ischaemic preconditioning and chronic hypoxia independently increase myocardial tolerance to ischaemia, 312

Anaesthetics alter the magnitude of infarct limitation by ischaemic preconditioning, 1574

Comparison of effects of aprikalim and of hypoxic and ischaemic preconditioning on extracellular potassium accumulation, metabolism, and functional recovery of the globally ischaemic rat heart, 864

Could the "real" preconditioning mechanism please stand up? (or, a polyplanic platitude to preconditioning): invited letter, 1872

Does ischaemic preconditioning occur in the human heart?

viewpoint, 1461 Ischaemic preconditioning by partial occlusion without intermittent reperfusion, 1146: correspondence, 1735: correc-

tion, 1736 K_{ATP} channels in ischaemic preconditioning: invited letter, 929

Ketamine-xylazine anaesthesia permits a K_{ATP} channel antagonist to attenuate preconditioning in rabbit myocardium, 1337

Preconditioning human ventricular cardiomyocytes with brief periods of simulated ischaemia, 1285

Preconditioning of isolated rabbit cardiomyocytes: effects of glycolytic blockade, phorbol esters, and ischaemia, 1700 Preconditioning of isolated rabbit cardiomyocytes: induction by metabolic stress and blockade by the adenosine antagonist

SPT and calphostin C, a protein kinase C inhibitor, 72 Transient β adrenergic stimulation can precondition the rat heart against postischaemic contractile dysfunction, 1726: invited letter, 1872

Pressure-flow relationships, Accounting for the Gregg effect in tetanised coronary arterial pressure-flow relationships, 228

Pressure overload, Increased collagen synthesis and decreased collagen degradation in right ventricular hypertrophy induced by pressure overload, 1581 Proarrhythmias

Potassium channel openers are likely to be proarrhythmic in the diseased human heart: cardiovascular controversies, 923

Potassium channel openers are unlikely to be proarrhythmic in the diseased human heart: cardiovascular controversies,

Proarrhythmic potential of the potassium channel openers: commentaries, 926

Procaine, Alteration of autonomic influence on left ventricular

contractility by epicardial superfusion with hexamethonium and procaine, 1042

Propofol, Regional blood flow effects of dopexamine versus enalaprilat during propofol anaesthesia in rabbits with experimental chronic heart failure, 710

Prostacyclin, Cyclo-oxygenase products released by low pH have

capsaicin-like actions on sensory nerves in the isolated

guinea pig heart, 365
Prostaglandins, Evidence that prostaglandins I₂, E₂, and D₂ may activate ATP sensitive potassium channels in the isolated rat heart, 901

Prostaglandin I2, Synergistic action of vasodilators that increase cGMP and cAMP in the hamster cremaster microcirculation, 1513

Protamine, Mechanical and electrophysiological effects of protamine on isolated ventricular myocardium: evidence for calcium overload, 505

Protein kinase A, cAMP concentrations, cAMP dependent protein kinase activity, and phospholamban in non-failing and failing

myocardium, 1713

Index

Pulmonary vascular remodelling, Reversal of pulmonary vascular remodelling following hypoxic exposure: no effect of infusion of atrial natriuretic factor and neutral endopeptidase inhibitor, 519

Purinergic modulation, Purinergic modulation of adult guinea pig cardiomyocytes in long term cultures and co-cultures with extracardiac or intrinsic cardiac neurones, 673

Age related differences in the response to acidosis, hypoxia, and hyperkalaemia in canine cardiac Purkinje fibres, 125

Role of junctional zone cells between Purkinje fibres and ventricular muscle in arrhythmogenesis, 1277

Rabbits, A new animal model of controlled coronary artery occlusion in conscious rabbits, 61 Ranolazine, Cardioprotective effects of ranolazine (RS-43285) in

the isolated perfused rabbit heart, 1231
Reaction to injury, Postreperfusion inflammation: a model for re-

action to injury in cardiovascular disease: masterclass, 1301 Recirculating fraction Ca2+, Estimates of beat to beat handling of activator calcium using measurements of [Ca2+], in aequorin

loaded ferret cardiac muscle, 40 Refractoriness dispersion, Effects of sympathetic stimulation, with and without previous α_1 and β adrenoceptor blockade, on

refractoriness dispersion in canine heart, 1787 Regional ischaemia, Mechanically induced changes in action

potential duration and left ventricular segment length in acute regional ischaemia in the in situ porcine heart, 528

regional ischaemia in the in situ porcine neart, 528
Regional myocardial function. Papaverine and regional myocardial function: correspondence, 434
Regional myocardial work, Milrinone, a cyclic AMP-phosphodiesterase inhibitor, has differential effects on regional myocardial work and oxygen consumption in experimental left ventricular hypertrophy, 1360 Reinfarction arrhythmias, Low incidence of ventricular arrhythmias

induced by ischaemia at the borders of a chronic infarct in a model with local postinfarction denervation, 1018

Relaxation

Effect of heart rate on myocardial relaxation in isometric twitches, 92

Left ventricular remodelling and disparate changes in contractility and relaxation during the development of and recovery from experimental heart failure, 66

Renal ET-1 release, Big ET-1 infusion in man causes renal ET-1 release, renal and splanchnic vasoconstriction, and increased

mean arterial blood pressure, 1559
Renin-angiotensin system, Transforming growth factor β₁ and extracellular matrix gene expression in isoprenaline induced cardiac hypertrophy: effects of inhibition of the reninangiotensin system, 1835

Reoxygenation, Neutrophil mediated damage to isolated myocytes after anoxia and reoxygenation, 565

Reperfusion

A₁ receptor mediated myocardial infarct size reduction by endogenous adenosine is exerted primarily ischaemia, 270

Adenosine blockade during reperfusion reverses the infarct limiting effect in preconditioned canine hearts, 1083

ATP gated potassium channels in acute myocardial hibernation and reperfusion, 872

Complement system in myocardial ischaemia/reperfusion injury: masterclass, 437

Effect of reperfusion on "In-antimyosin monoclonal antibody uptake: invited letter, 285

Free radical related myocardial mitochondrial damage following limb ischaemia-reperfusion, 1868

Free radicals and reperfusion arrhythmias: invited commentaries,

Heterogeneity in extracellular potassium concentration during early myocardial ischaemia and reperfusion: implications for arrhythmogenesis: review article, 770
Ischaemic preconditioning by partial occlusion without inter-

mittent reperfusion, 1146: correspondence, 1735: correction, 1736

Monoclonal antibody to P-selectin (PB1.3) protects against

myocardial reperfusion injury in the dog, 1414 Myocardial neutrophil sequestration and activation related to the reperfusion of human heart during coronary artery surgery,

Postreperfusion inflammation: a model for reaction to injury in cardiovascular disease: masterclass, 1301

Reperfusion induced arrhythmias are caused by generation of free radicals: cardiovascular controversies, 422

Reperfusion induced arrhythmias are not caused by generation of free radicals: cardiovascular controversies, 423

Simulated ischaemia and reperfusion in isolated guinea pig ventricular myocytes, 1794

Reperfusion injury

Brief perfusion with diluted whole blood after global myocardial ischaemia increases reperfusion injury, 1157

Inhibition of vasoactive amine induced contractions of vascular smooth muscle by hydrogen peroxide in rabbit aorta, 963

Timely administration of AICA riboside reduces reperfusion injury in rabbits, 1003

Reproducibility, Evaluation of reproducibility of a vessel wall movement detector system for assessment of large artery properties, 610

Repeated measurements and multiple comparisons in cardiovascular research, 303

The use of anaesthesia in experimental research: invited letter, 432

Respiration, Venous collapse and the respiratory variability in systemic venous return, 472

Restenosis, Growth inhibition of human vascular smooth muscle cells by fenofibrate: a possible therapy for restenosis, 615 Reviewers, Anonymity of reviewers: editorial comment, 1133: viewpoint, 1134, commentaries, 1140: correspondence, 1735

Right ventricular hypertrophy, Increased collagen synthesis and decreased collagen degradation in right ventricular hyper-

trophy induced by pressure overload, 1581 Ringer, Sydney, Sydney Ringer viewed in a new light: viewpoint, 1765

RNA, messenger, Improved quantification with validation of multiple mRNA species by polymerase chain reaction: application to human myocardial creatine kinase M and B, 464

Ro 31-4493, A phospholipase A₂ inhibitor (Ro 31-4493) prevents protein loss associated with the calcium paradox in isolated guinea pig hearts without effect on contracture, calcium overload, or the currents through L-type calcium channels, 650

Ro 40-5967, The novel calcium antagonist Ro 40-5967 limits myocardial infarct size in the dog, 1526

Rotation, Rotational deformation of the canine left ventricle measured by magnetic resonance tagging: effects of catecholamines, ischaemia, and pacing, 629

RP58866, I_{K1} blockade is a potentially useful antiarrhythmic mechanism:controversy, 421: commentary, 720

RS-43285, Cardioprotective effects of ranolazine (RS-43285) in the isolated perfused rabbit heart, 1231 Ryanodine, Effects of ryanodine on development of myogenic

response in rat small skeletal muscle arteries, 480

S-nitroso-glutathione, Effects of S-nitroso-glutathione in the human forearm circulation: evidence for selective inhibition of platelet activation, 691

Saphenous vein, Endothelial function of human gastroepiploic artery in comparison with saphenous vein, 500

Saponin, Effects of oxidants on the sarcoplasmic reticulum of saponin treated rat ventricular trabeculae, 1647

Sarcomere length, Attachment procedures for mechanical manipulation of isolated cardiac myocytes: a challenge, 1758 Sarcoplasmic reticulum

Effects of oxidants on the sarcoplasmic reticulum of saponin treated rat ventricular trabeculae, 1647

Effects of ryanodine on development of myogenic response in rat small skeletal muscle arteries, 480

Release of calcium from guinea pig cardiac sarcoplasmic reticulum induced by sodium-calcium exchange, 370 Scoparone, Morphological evidence for the antiatherogenic effect

of scoparone in hyperlipidaemic diabetic rabbits, 1679

Selectins, Role of selectins, a new family of adhesion molecules, in ischaemia-reperfusion injury: review article, 289

Selenium supplement, Enhancement of endothelium dependent relaxation in the rat aortic ring by selenium supplement, 345

Septic shock, Effects of a nitric oxide synthase inhibitor in humans with septic shock, 34

Series coupled non-contractile elements, Series coupled noncontractile elements are functionally unimportant in the isolated heart, 242

Serotonin, Amplification by phenylephrine and serotonin of coronary vasoconstriction induced by a high arterial blood oxygen tension, 1326

Shaker channels, Gating mechanisms of ATP sensitive potassium channels: implication in reperfusion injury and preconditioning: viewpoint, 729

Skeletal muscle

Determination of high energy phosphates and glycogen in cardiac and skeletal muscle biopsies, with special reference to influence of biopsy technique and delayed freezing, 524 Diverse effects of pinacidil on K_{ATP} channels in mouse skeletal

muscle in the presence of different nucleotides, 841 conduction, Identification of conduction block in cardiac

muscle: in vitro observations in canine epicardium, 259 Smooth muscle cells

Enhanced leucocyte adhesion to interleukin-1β stimulated vascular smooth muscle cells is mainly intercellular adhesion molecule-1, 1808

Stimulation of migration of human aortic smooth muscle cells by vitronectin: implications for atherosclerosis, 1815 Suramin inhibits intimal thickening following intimal injury in

the rabbit aorta in vivo, 1166 Sodium, Effects of intracellular sodium and hydrogen ion on the sodium activated potassium channel in isolated patches from

guinea pig ventricular myocytes, 1036 Sodium-calcium exchange, Release of calcium from guinea pig cardiac sarcoplasmic reticulum induced by sodium-calcium exchange, 370

Sodium channel block, External pH modifies sodium channel block by mexiletine in guinea pig ventricular myocytes, 973

Sodium current, Modulation of sodium current by lactate in guinea pig ventricular myocytes, 1507

Sodium nitroprusside, Assessment of ability of levcromakalim and sodium nitroprusside to reverse the cardiovascular effects of nitric oxide synthase inhibition in the anaesthetised pig,

Sodium pump, Sodium ion mediated regulation of Na/K-ATPase gene expression in vascular smooth muscle cells, 957

Sodium pump current, Sodium pump current measured in cardiac ventricular myocytes isolated from control and potassium depleted rabbits, 1854

Splanchnic vasoconstriction, Big ET-1 infusion in man causes renal ET-1 release, renal and splanchnic vasoconstriction, and increased mean arterial blood pressure, 1559

Stoichiometric binding, Why are circulating concentrations of endothelin-1 so low? viewpoint, 1613

Streptomycin, Streptomycin reverses a large stretch induced increase in [Ca2+], in isolated guinea pig ventricular myocytes, 1193

Stress, Enzyme release into the interstitial space of the isolated rat heart induced by changes in contractile performance, 1292

Stretch, Selective changes in natriuretic peptide and early response gene expression in isolated rat atria following stimulation by stretch or endothelin-1, 1519

Stunning, Beneficial effects of MDL 74,405, a cardioselective water soluble a tocopherol analogue, on the recovery of function of stunned myocardium in intact dogs, 235

Substance P, Responsiveness of in situ canine nodose ganglion afferent neurones to epicardial mechanical or chemical stimuli, 1218

Superoxide dismutase, Superoxide dismutase and N-2-mercapto-propionyl glycine attenuate infarct size limitation effect of ischaemic preconditioning in the rabbit, 980

Suramin, Suramin inhibits intimal thickening following intimal injury in the rabbit aorta in vivo, 1166

Surgery, Effects of anaesthesia and recent surgery on diastolic function, 325

Sympathetic stimulation, Effects of sympathetic stimulation, with and without previous α_1 and β adrenoceptor blockade, on refractoriness dispersion in canine heart, 1787

Syrian myopathic hamster, Enhanced coronary vasoconstriction in the Syrian myopathic hamster supports the microvascular spasm hypothesis, 320

Systolic ventricular stiffness, Coronary perfusion related changes in myocardial contractile force and systolic ventricular stiffness, 1331

T wave alternans, Quantification of ischaemia induced vulnerability by precordial T wave alternans analysis in dog and human,

Tachycardia, Cellular and molecular alterations in the β adrenergic system with cardiomyopathy induced by tachycardia, 1243

Temperature, Temperature modulates calcium homeostasis and

ventricular arrhythmias in myocardial preparations, 391 Teratogenicity, Induction of rhythm abnormalities in the fetal rat heart. A tentative mechanism for the embryotoxic effect of the class III antiarrhythmic agent almokalant, 337

Terikalant

IKI blockade is a potentially useful antiarrhythmic mechanism: controversy, 421: commentary, 720

IKI blockade is unlikely to be a useful antiarrhythmic mechanism: controversy, 420: commentary, 720
Tetanised pressure-flow relationships, Accounting for the Gregg

effect in tetanised coronary arterial pressure-flow relationships, 228

Thrombin receptor stimulation, Increased lysophosphatidylcholine content induced by thrombin receptor stimulation in adult rabbit cardiac ventricular myocytes, 1263

Thrombolysis, Maintenance of canine coronary artery patency following thrombolysis with front loaded plus low dose maintenance conjunctive therapy. A comparison of factor Xa versus thrombin inhibition, 78

Thyroid hormone, Amiodarone protection against myocardial injury and fibrosis induced by isoprenaline is abolished by thyroid

Tick anticoagulant peptide, recombinant, Maintenance of canine coronary artery patency following thrombolysis with front loaded plus low dose maintenance conjunctive therapy. A comparison of factor Xa versus thrombin inhibition, 78

Training, Effects of exercise on the autonomic control of the heart:

training or overtraining? correspondence, 141 Transforming growth factor β_1 , Transforming growth factor β_1 and extracellular matrix gene expression in isoprenaline induced cardiac hypertrophy: effects of inhibition of the renin-angiotensin system, 1835

Trials, Trials and tribulations: viewpoint, 598

Triggered activity, Triggered activity and automaticity in ventricular trabeculae of failing human and rabbit hearts, 1547

Ultrasonography, Measurement of anterior-posterior diameter of inferior vena cava by ultrasonography, 1269

Umbilical artery, Effect of altered bathing pH on calcium activated force in α toxin permeabilised rat portal vein and human umbilical artery, 1378 Underperfused zone, How to identify and quantify an under-

perfused zone: How to ..., 570

Vagal release, Vagal release of vasoactive intestinal peptide can promote vagotonic tachycardia in the isolated innervated rat heart, 1769

Vagotonic tachycardia, Vagal release of vasoactive intestinal peptide can promote vagotonic tachycardia in the isolated innervated rat heart, 1769

Vascular disease, Gene transfer and vascular disease: viewpoint, 445 Vascular endothelial growth factor, Upregulation of vascular endothelial growth factor expression induced by myocardial ischaemia: implications for coronary angiogenesis, 1176 Vascular smooth muscle

Cellular pharmacology of potassium channel openers in vascular

smooth muscle: review article, 805

Inhibition of vasoactive amine induced contractions of vascular smooth muscle by hydrogen peroxide in rabbit aorta, 963 K_{ATP} channels and basal coronary vascular tone: review article,

KATP channels in vascular smooth muscle: review article, 797 Vascular smooth muscle cells

Functional analysis of vascular dysfunction in cyclosporin treated rats, 1152

Growth inhibition of human vascular smooth muscle cells by fenofibrate: a possible therapy for restenosis, 615
Mitogens for adult rat aortic vascular smooth muscle cells in

serum-free primary culture, 1238

Release of platelet derived growth factor in serum free organ culture of human coronary artery, 1170
Sodium ion mediated regulation of Na/K-ATPase gene

expression in vascular smooth muscle cells, 957

Vasoactive amine, Inhibition of vasoactive amine induced contractions of vascular smooth muscle by hydrogen peroxide in rabbit aorta, 963

Vasoactive drugs, Influence of heart rate and vasoactive drugs on blood flow patterns at the canine ilio-femoral bifurcation,

Vasoactive intestinal peptide, Vagal release of vasoactive intestinal peptide can promote vagotonic tachycardia in the isolated innervated rat heart, 1769

Vasodilatation

Contribution of endothelium derived relaxing factors to acetylcholine induced vasodilatation in the rat kidney, 1373
Orthotopic cardiac transplantation reverses abnormal reflex

regulation of the microvasculature in the lower leg, 1707

Vasodilators, Synergistic action of vasodilators that increase cGMP and cAMP in the hamster cremaster microcirculation, 1513

Vasomotor responses, Influence of arterial diameter on vasomotor responses in the porcine coronary vasculature, 695 Vector mapping, Identification of conduction block in cardiac

muscle: in vitro observations in canine epicardium, 259 Venous collapse, Venous collapse and the respiratory variability in systemic venous return, 472

Ventricular arrhythmias

Antiarrhythmic effects of ACE inhibitors: a matter of faith or reality? review article, 173

Low incidence of ventricular arrhythmias induced by ischaemia at the borders of a chronic infarct in a model with local postinfarction denervation, 1018

Temperature modulates calcium homeostasis and ventricular arrhythmias in myocardial preparations, 391

Ventricular arrhythmias induced by chemically modified intrinsic cardiac neurones, 636

Ventricular fibrillation, Dofetilide reduces the incidence of ventricular fibrillation during acute myocardial ischaemia,

Ventricular muscle, Role of junctional zone cells between Purkinje

fibres and ventricular muscle in arrhythmogenesis, 1277 Ventricular myocardium, β_1 Adrenoceptor mediated decrease in pHi in quiescent ventricular myocardium, 112

Ventricular myocytes

Angiotensin II associated cardiac myocyte necrosis: role of adrenal catecholamines, 684

Cellular electrophysiology in cardiac hypertrophy and failure: review article, 933

Effects of intracellular sodium and hydrogen ion on the sodium activated potassium channel in isolated patches from guinea pig ventricular myocytes, 1036

Effects of purified perforin and granzyme A from cytotoxic T lymphocytes on guinea pig ventricular myocytes, 643 External pH modifies sodium channel block by mexiletine in

guinea pig ventricular myocytes, 973

Minimal modification of canine ventricular myocyte cell surface β adrenoceptors despite desensitisation of ventricular function during exogenous β adrenoceptor challenge, 680

Ventricular remodelling, Myocyte cellular hypertrophy is re-sponsible for ventricular remodelling in the hypertrophied heart of middle aged individuals in the absence of cardiac failure, 1199

Ventricular trabeculae, Triggered activity and automaticity in ventricular trabeculae of failing human and rabbit hearts,

Verapamil, Effect of hyperosmotic perfusion on rate of oxygen consumption of isolated guinea pig and rat hearts during cardioplegia, 485

Vessel wall properties, Evaluation of reproducibility of a vessel wall movement detector system for assessment of large artery properties, 610

Vitamin E, Vitamin E restores endothelium dependent vasodilatation in cholesterol fed rabbits: in vivo measurements by

photoplethysmography, 1397 Vitronectin, Stimulation of migration of human aortic smooth muscle cells by vitronectin: implications for atherosclerosis,

Xanthine amine congener, Effects of xanthine amine congener on hypoxic coronary resistance and venous and epicardial adenosine concentrations, 604

Xanthine-xanthine oxidase, Carvedilol, a new vasodilating B adrenoceptor blocker antihypertensive drug, protects endothelial cells from damage initiated by xanthine-xanthine oxidase and neutrophils, 400

